



901LX

**Simple.
Secure.
Reliable.**



901 LX Series Pay Station

General Specifications	Components	Features & Options
<p>Product Overview</p> <p>The Lexis 901 LX Pay Station is designed to be simple, secure and reliable. An advanced "real-time" wireless option allows each unit easy, remote access through instant 2-way communication with a base station and provide instant POS verification of all credit card transactions. This feature also allows the 901 LX to instantly transmit text messages to field staff in the event of a maintenance or service fault. Managing a network of 901 LX pay stations is simpler than ever, more reliable and can increase your revenue potential.</p> <p>The 901 LX Series can be configured as Pay & Display or Pay-by-Space. It is designed with extraordinarily heavy duty construction for use in a variety of operational environments, from municipal to remote wilderness applications.</p> <p>Operating Temperature Range</p> <ul style="list-style-type: none"> Operating Temperature Range: 0 to 65 degrees Celsius (Heaters and insulation option available for low temperature environments) Humidity: 10 to 90 % RH non-condensing <p>Dimensions</p> <ul style="list-style-type: none"> W 25", H 37", D 15" Weight 220lb <p>Mounting Options</p> <ul style="list-style-type: none"> Pedestal H-Frame Single pole, or wall mounting <p>Maintenance</p> <ul style="list-style-type: none"> Modular design allows easy removal/replacement of components/save on service calls and down time Self-cleaning thermal printer Top quality components from reputable manufacturers ensures consistency and availability of replacement parts <p>Power Source</p> <ul style="list-style-type: none"> Power source is used to derive +24 VDC to power the internal components The +24 VDC may be reduced & regulated further by adding optional modules Available in solar panel and battery model for use in locations without access to electrical power <p>ADA</p> <ul style="list-style-type: none"> Product design is ADA Standards compliant 	<p>LCD Display</p> <ul style="list-style-type: none"> 5" x 2", four line x 20 characters Bullet resistant Display easily read in direct sunlight <p>Cabinet</p> <ul style="list-style-type: none"> 12 gauge Stainless Steel (standard on all models). Pry resistant hinge system 3 point drill and pick resistant locking system <p>Keypad</p> <ul style="list-style-type: none"> 12 Key Keypad (0-9,*,#) Required by Pay by Space Operation <p>Coin Changer</p> <ul style="list-style-type: none"> Self-replenishing of coins Gives change in coin Accepts 16 types of coins and tokens Accepts all coin denominations Removable 4 coin tube cassette Fully programmable to any denomination Removable, lockable coin bags Optional coin hopper available <p>Bill Acceptor</p> <ul style="list-style-type: none"> Accepts \$1, \$5,\$10, \$20 Accepts bills in 4 directions Self cleaning Programmable denominations and acceptance level Removable locking bill cartridges <p>Credit/Debit Card</p> <ul style="list-style-type: none"> "Real-time" or batch processing <p>Smart Card</p> <ul style="list-style-type: none"> Uses chip based re-loadable e-purse cards or Disposable decremented value cards <p>Battery Back-up</p> <ul style="list-style-type: none"> Allows for 48-72 hour of use or up to 1000 transactions <p>Printer</p> <ul style="list-style-type: none"> High reliability mechanism Heavy duty printer head Extended temperature ranges <p>Solar Panel</p> <ul style="list-style-type: none"> Solar system provides more than adequate power to charge batteries for continuous uninterrupted use 	<p>Simple to Use</p> <ul style="list-style-type: none"> Single Button operation Complete logging of all transactions and events <p>"Real-Time" Wireless Option</p> <ul style="list-style-type: none"> Connects to a "real-time" 2-way wireless network Offers uninterrupted communication between any single or group of 901 LX pay stations and base station from one command center Provides access to a network of pay stations through the Internet, anywhere and anytime. Instant credit card authorization at POS (no uploading of bad card files) Instant text message notifications to field staff when a unit requires maintenance or servicing On-demand remote data/status reports Instant remote transaction analysis <p>Security</p> <ul style="list-style-type: none"> Heavy-duty 12-gauge stainless steel cabinet, anti crowbar door protection, drill resistant locks Multiple levels of security to protect against theft (locking/alarmed cash vaults and collectors within the pay station) Motion alarms and surveillance cameras for enhanced security (optional) <p>Cash and Credit Card Processing</p> <ul style="list-style-type: none"> Complete logging of all transactions/events "Real-time" credit card processing Error reporting and logging On-site and remote access to reporting info <p>Rate Table Options</p> <ul style="list-style-type: none"> Easily programmable for virtually any rate possible: Special events (1 year in advance); progressive hourly rates; regressive rates (discounts) <p>Ticket Options</p> <ul style="list-style-type: none"> Custom 20 line ticket messages along with customized receipts for validation/coupons Can be designed for other fee collection uses <p>Reporting Options</p> <ul style="list-style-type: none"> Ability to print a complete transactions audit trail Reports include: Revenue, daily transaction summary, coin room audit check, ticket price breakdown with sales time report, daily summary, ticket price summary, manual dispense report and more <p>Warranty</p> <ul style="list-style-type: none"> Lexis Systems Inc. provides a one year warranty covering defects in workmanship, materials and/or parts. 3 year optional extended warranty available



Lexis Systems Inc.

#130-4611 Viking Way
 Richmond, British Columbia
 CANADA V6V 2K9
 Phone: (604) 248-6000
 Toll free: (888) 755-3947
 Fax: (604) 248-6001

Web Site: www.parking.ca

Head Office Sales Department:

Toll Free: 1-888-755-3947
 Direct: (604) 248-6031
 E-mail: sales@parking.ca

Customer Service/Technical

Support:
 Toll Free: 1-888-755-3947
 Direct: (604) 248-6008
 E-mail: service@parking.ca

