

The *International* ClearMirror™



For mirror defogging technology
that meets international specifications,
look into...



The *International* ClearMirror™

The *International* ClearMirror™ is an electrical bathroom mirror defogger that can't be seen; yet it allows you to see in steamy bathroom conditions. The *International* ClearMirror™ is a thin pad (1mm thick) that adheres to the back of your mirror and heats, preventing condensation. With the simple flip of a switch, The *International* ClearMirror™ leaves the reflected image clear and fully visible. It can be wired to the same power supply as your bathroom light, exhaust fan or to a separate source. To accommodate all bathroom styles and layouts, we offer a variety of sizes to meet your specific needs. For a defogging system that reflects your international requirements and used for years in hotel properties around the world, The *International* ClearMirror™ is the clear choice.

Special features of The *International* ClearMirror™ include:

-*Quality.* The *International* ClearMirror™ technology has been used for over 10 years throughout more than 6,000 of the most exclusive hotel and resort rooms in Europe.

-*Standard Sizes.* We offer the following standard sizes, making The *International* ClearMirror™ conducive to most bathroom mirrors:

16102-1113240I	290mmx340mm
16102-1218240I	300mmx500mm
16102-1624240I	400mmx600mm
16102-2028240I	500mmx700mm
16102-2432240I	600mmx800mm
16102-2835240I	700mmx900mm

(custom sizes and shapes are also available)

-*The standard voltage.* 220/240-volt meets most international electrical standards while alternative voltages are available. All *International* ClearMirror™ defoggers are CE and VDE certified and C-UL listed. TUV designation is available at additional cost.

-*Shipping near you.* The *International* ClearMirror™ production facilities are centrally located in both Europe and the United States, which provides you with rapid, economical delivery options. Most large order have a lead-time of less than 4-weeks.

View installation details and specifications at our web site:

www.clearmirror.com

E-mail: sales@clearmirror.com

651.714.2362 North America 877.242.5327
Fax 651.739.0403



another innovation from...NEWHOME BATH & MIRROR, INC.

The Original ClearMirror™

The Original

ClearMirror™

For a mirror-defogging system which can't be seen, it's easy to see The Original ClearMirror™ is the clear choice.



The Original ClearMirror™ is an electrical bathroom mirror defogger that you can't see, yet allowing you to see in those everyday foggy conditions. At only 1/16" thick, The Original ClearMirror™ is a very thin heater adhered to the back of your mirror and can be wired to the same power supply as the bathroom light, exhaust fan or a separate source. With the simple flip of a switch, the pad automatically heats up to prevent condensation on the mirror, leaving the reflected image clear and fully visible. To accommodate for the different bathroom styles and layouts, we offer a variety of sizes and connections to meet your specific needs. For a defogging system that reflects your style, The Original ClearMirror™ is the clear choice.

Special features of The Original ClearMirror™ include:

-Standard sizes. Making The Original ClearMirror™ conducive to most locations, we offer the following standard sizes and their model numbers:

16101-1212120H	12"x12"	16101-1825120H	18"x25"
16101-1414120H	14"x14"	16101-2020120H	20"x20"
16101-1820120H	18"x20"	16101-2040120H	20"x40"

The standard voltage is 110/120-volt, while 12-, 24- and 240-volt versions are also available. *Custom shapes and sizes can be ordered.*

-Easy installation. Because every bathroom has different requirements, we offer three connections to meet your specific needs. Detailed instructions are provided for the installation:

Dual Lead - Two thin wire leads for hanging mirrors or mirrors installed with clips.

Non-sheathed - ROMEX-type wire connection for mirrors attached with mastic or large-quantity installations.


Plug - An A.L.C.I. cordset (similar to a hair-dryer safety plug) for hanging mirrors, mirrors installed with clips, large-quantity installations or existing outlet use.

-Longevity. The heater used in The Original ClearMirror™ has been tested and used for industrial applications for over 25 years. To back up the quality of the product, a five-year replacement warranty is provided against product defects.

View installation details and specifications at our web site:

www.clearmirror.com

E-mail: sales@clearmirror.com



clear mirror
THE DIFFERENCE IS CLEAR
another innovation from...NEWHOME BATH & MIRROR, INC.

If you're interested in showering yourself with luxury, The Shower ClearMirror™ is the solution that clearly stands out.

The Shower ClearMirror™ is a mirror that remains fog-free in your shower or steam room to make shaving and facials a breeze. Made of high-quality glass with a low-voltage heating pad adhered to the back, The Shower ClearMirror™ installs directly into the wall to remain flush with the tile. You choose the most convenient location and height for the mirror, maximizing your comfort and enjoyment. Then, with the simple flip of a switch, the mirror automatically begins to heat, preventing the build-up of fog for long-lasting clear vision. No matter how much steam you create, you'll always see the benefits of The Shower ClearMirror™.



The Shower ClearMirror™

Patented



Special features of The Shower ClearMirror™ include:

-Safety. The Shower ClearMirror™ is UL and C-UL listed, tested to CSA international standards. The low voltage ensures that electrical shocking cannot take place.



-Standard sizes. Making The Shower ClearMirror™ conducive to most locations, we offer the following standard sizes and their model numbers:

16104-101224M	10" x 12"	16104-161624M	15 7/8" x 15 7/8"
16104-121224M	11 7/8" x 11 7/8"	16104-181824M	17 5/8" x 17 5/8"

The standard power supply includes a 120-volt primary and a 24-volt secondary plug-in transformer. *Custom shapes and sizes are available.*

-Easy installation. The diagrams at right indicate the ease of installation. A template and detailed instructions are provided for the installation.

-Longevity. The heater used in The Shower ClearMirror™ has been tested and used for industrial applications for over 25 years. To back up the quality of the product, a five-year replacement warranty is provided against product defects.



View installation details and specifications at our web site:

www.clearmirror.com

E-mail: sales@clearmirror.com



another innovation from...NEWHOME BATH & MIRROR, INC.