

Introducing A New Line of Photographic Products:

2002 PRODUCT GUIDE

CAMERAS • DIGITAL PRODUCTS • LENSES • FLASHES • TRIPODS • BINOCULARS • NIGHT VISION



Vivitar



MISSION STATEMENT

We are here to provide quality, affordable, easy-to-use imaging products that deliver genuine value and enhance the quality of life for consumers.

We are here to form dynamic, forward-thinking, mutually profitable relationships with all our vendors and trade customers.

We are here to foster a culture of entrepreneurship and to provide our employees with an exciting, energetic place to work, a place where every employee can feel duly rewarded for his or her contributions and share in the company's success.

Finally, we are here to ensure the company's long-term future through continued profitable growth and worldwide recognition in imaging products.

Vivitar

AUTO FOCUS LENSES



Series 1

19-35mm AF (F/3.5-4.5)

Canon EOS (312860), Minolta Maxxum (312862),
Nikon (312864), Pentax (59723)



Series 1

28-105mm AF (F/2.8-3.8)

Canon EOS (312866), Minolta Maxxum (312868),
Nikon (312870)



Series 1

28-210mm AF (F/4.2-6.5) IF

Canon EOS (59254), Minolta Maxxum (59255),
Nikon "D" (59256), Pentax (59257)



Series 1

28-300mm AF (F/4.0-6.3)

Canon EOS (312873), Minolta Maxxum (312875),
Nikon (312877)



Series 1

70-210mm AF (F/2.8-4.0) APO

Canon EOS (312850), Minolta Maxxum (312852),
Nikon (312854)



Series 1

70-300mm AF (F/4.5-5.6)

Canon EOS (312712), Minolta Maxxum (312714),
Nikon "D" (312716)



Series 1

100-400mm AF (F/4.5-6.7)

Canon EOS (312842), Minolta Maxxum (312844),
Nikon "D" (312846), Pentax (59990)



VIVITAR

28-80mm AF (F/3.5-5.6)

Canon EOS (59424), Minolta Maxxum (59425),
Nikon "D" (59427), Pentax (218445)



VIVITAR

28-210mm AF (F/3.5-5.6)

Canon EOS (218450), Minolta Maxxum (218452),
Nikon (218454)



VIVITAR

70-210mm AF (F/4.5-5.6)

Canon EOS (218484), Minolta Maxxum (218486),
Nikon (218488)



VIVITAR

100mm AF F/3.5 MACRO

Canon EOS (218430), Minolta Maxxum (218432),
Nikon (218434), Pentax AF (218433)



VIVITAR

100-300mm AF (F/5.6-6.7)

Canon EOS (59428), Minolta Maxxum (59429),
Nikon "D" (59431), Pentax (218496)

AUTO FOCUS LENSES

	APERATURE RANGE	OPTICAL CONSTRUCTION	MIN. FOCUSING DISTANCE	MACRO	LENGTH	WEIGHT	MAXIMUM DIAMETER	MOUNT	ACCESSORY SIZE
S1 19-35mm F/3.5-4.5	F/3.5-22	13 ELEMENTS 11 GROUPS	1.6 FT. (0.5m)	1:12X@35mm	2.7" (69.2mm)	10.5 OZ. (300 GRAM)	3.2" (82mm)	C/M/N/P	77mm
S1 28-105mm F/2.8-3.8	F/2.8-22	15 ELEMENTS 13 GROUPS	4.9 FT. (1.5m)	1:12X@105mm	3.5" (90mm)	15.4 OZ. (437 GRAM)	3" (77mm)	C/M/N	72mm
S1 28-210mm F/4.2-6.5	F/4.2-22	15 ELEMENTS 13 GROUPS	1.64 FT. (0.5m)	1:6.8X@210mm	3.9" (100mm)	13.83 OZ. (995 GRAM)	2.84" (72mm)	C/M/N/P	67mm
S1 28-300mm F/4.0-6.3	F/4.0-16	17 ELEMENTS 15 GROUPS	6.2 FT. (1.9m)	1:5.5X@300mm	4.8" (122mm)	20 OZ. (570 GRAM)	3.12" (80mm)	C/M/N	77mm
S1 70-210mm F/2.8-4.0	F/2.8-22	14 ELEMENTS 11 GROUPS	3.6 FT. (1.1m)	1:2.5X@210mm	5.1" (129mm)	25 OZ. (710 GRAM)	2.9" (73.5mm)	C/M/N	62mm
S1 70-300mm F/4.5-5.6	F/4.5-22	12 ELEMENTS 9 GROUPS	4.9 FT. (1.5m)	1:2.0X@300mm	5.4" (139mm)	16.2 OZ. (505 GRAM)	2.7" (69mm)	C/M/N	62mm
S1 100-400mm F/4.5-6.7	F/4.5-32	12 ELEMENTS 9 GROUPS	6.5 FT. (2.0m)	1:4.0X@400mm	6.4" (162mm)	25.9 OZ. (740 GRAM)	2.9" (74.2mm)	C/M/N	67mm
100mm F/3.5	F/3.5-22	5 ELEMENTS 4 GROUPS	1.4 FT. (43m)	1:2. (1.1) w/ADAPTER	2.7" (70.5mm)	7.3 OZ. (208 GRAM)	2.7" (68mm)	C/M/N/P	49mm
28-80mm F/3.5-5.6	F/3.5-16	8 ELEMENTS 8 GROUPS	2.6 FT. (0.8m)	1:5.3X@80mm	3.0" (76.2mm)	9.5 OZ. (270 GRAM)	2.8" (72mm)	C/M/N/P	58mm
28-210mm F/3.5-5.6	F/3.5-16	14 ELEMENTS 12 GROUPS	8.2 FT. (2.5m)	1:8X@210mm	4.3" (109.5mm)	19 OZ. (540 GRAM)	2.9" (75mm)	C/M/N	72mm
70-210mm F/4.5-5.6	F/4.5-22	10 ELEMENTS 7 GROUPS	4.4 FT. (1.3m)	1:5X@210mm	4" (102mm)	14.6 OZ. (415 GRAM)	2.7" (69mm)	C/M/N	55mm
100-300mm F/5.6-6.7	F/5.6-32	10 ELEMENTS 8 GROUPS	4.9 FT. (1.5m)	1:4X@300mm	5.4" (137.5mm)	15.3 OZ. (437 GRAM)	2.8" (72mm)	C/M/N/P	55mm

AUTO FOCUS TELECONVERTERS

SERIES 1 2X TELECONVERTER AF

- MAGNIFICATION: 2X
 - 7 ELEMENTS
 - MULTI-COATED
 - INCLUDES CASE & PROTECTIVE LENS CAP
 - AVAILABLE SLR MOUNTS: CANON EOS (318602), MINOLTA (318600), NIKON (318604)
- 2X TELECONVERTER AF
- MAGNIFICATION: 2X
 - 4 ELEMENTS
 - MULTI-COATED
 - INCLUDES CASE & PROTECTIVE LENS CAP
 - AVAILABLE SLR MOUNTS: CANON EOS (248641), MINOLTA (247400), NIKON (248643)



S1 2X Teleconverter

MANUAL FOCUS LENSES



Series 1

19-35mm MF (F/3.5-4.5)

Canon C/FD (316190), Minolta M/MD (316191), Nikon N/AI's (316192), Olympus O/OM (316193), Pentax-Ricoh PK/R (316194), Yashica-Contax Y/C (316195)



Series 1

28-105mm MF (F/2.8-3.8)

Canon C/FD (316085), Minolta M/MD (316088), Nikon N/AI's (316090), Olympus O/OM (316092), Pentax-Ricoh PK/R (316095), Yashica-Contax Y/C (316097)



VIVITAR

19mm MF (F/3.8) WIDE ANGLE LENS

Canon C/FD (215943), Minolta M/MD (215945), Nikon N/AI's (215947), Pentax-Ricoh PK/R (215951)



VIVITAR

24mm MF (F/2.8) WIDE ANGLE LENS

Canon C/FD (211575), Minolta M/MD (211580), Nikon N/AI's (211583), Olympus O/OM (211587), Pentax-Ricoh PK/R (211590), Yashica-Contax Y/C (211598)



VIVITAR

28mm MF (F/2.8) WIDE ANGLE LENS

Canon C/FD (215905), Minolta M/MD (215910), Nikon N/AI's (215913), Olympus O/OM (215917), Pentax-Ricoh PK/R (215920)



VIVITAR

100mm MF (F/3.5) MACRO LENS

Canon C/FD (216370), Minolta M/MD (216372), Nikon N/AI's (216374), Olympus O/OM (216376), Pentax-Ricoh PK/R (216378), Yashica-Contax Y/C (216384)



VIVITAR

500mm MF (F/8) MIRROR TELEPHOTO LENS

Lens Body Only (211865)
Adapters: Canon C/FD (211881), Minolta M/MD (211882), Nikon (211883), Olympus (211884), Pentax-Ricoh (211885), Yashica-Contax (211887), Canon EOS (211889), Minolta Maxxum (211890)



VIVITAR

28-80mm MF (F/3.5-5.6)

Canon C/FD (216925), Minolta M/MD (216926), Nikon N/AI's (216927), Olympus O/OM (216928), Pentax-Ricoh PK/R (216929), Yashica-Contax Y/C (216930)



VIVITAR

28-210mm MF (F/3.5-5.6)

Canon C/FD (216511), Minolta M/MD (216544), Nikon N/AI's (216555), Olympus O/OM (216566), Pentax-Ricoh PK/R (216577), Yashica-Contax Y/C (216599)



VIVITAR

70-210mm MF (F/4.5-5.6)

Canon C/FD (214090), Minolta M/MD (214091), Nikon N/AI's (214092), Olympus O/OM (214094), Pentax-Ricoh PK/R (214096)



VIVITAR

75-300mm MF (F/4.5-5.6)

Canon C/FD (215835), Minolta M/MD (215836), Nikon N/AI's (215837), Olympus O/OM (215839), Pentax-Ricoh PK/R (215838), Yashica-Contax Y/C (215840)



VIVITAR

100-300mm MF (F/5.6-6.7)

Canon C/FD (215960), Minolta M/MD (215961), Olympus O/OM (215963)

MANUAL FOCUS LENSES

	APERATURE RANGE	OPTICAL CONSTRUCTION	MIN. FOCUSING DISTANCE	MACRO	LENGTH	WEIGHT	MAXIMUM DIAMETER	AVAILABLE MOUNT	ACCESSORY SIZE
S1 19-35mm F/3.5-4.5	F/3.5-22	13 ELEMENTS 11 GROUPS	1.6 FT. (0.5m)	1.6.8X@35mm	2.7" (69.2mm)	10.5 OZ. (300 GRAM)	3.2" (82mm)	C/M/N/O/I/P/Y	77mm
S1 28-105mm F/2.8-3.8	F/2.8-22	15 ELEMENTS 13 GROUPS	4.9 FT. (1.5m)	1.6.8X@105mm	3.5" (90mm)	15.4 OZ. (437 GRAM)	3" (77mm)	C/M/N/O/I/P/Y	72mm
Vivitar 19mm F/3.8	F/3.8-22	9 ELEMENTS 8 GROUPS	7.8 IN. (0.19m)	1.6.4X	1.4" (35.5mm)	6.5 OZ. (184 GRAM)	2.6" (65mm)	C/M/N/P	62mm
Vivitar 24mm F/2.8	F/2.8-22	7 ELEMENTS 7 GROUPS	7.48 IN. (0.18m)	1.5X	1.56" (39.5mm)	6.7 OZ. (190 GRAM)	2.5" (64mm)	C/M/N/O/I/P/Y	52mm
Vivitar 28mm F/2.8	F/2.8-22	5 ELEMENTS 5 GROUPS	8.7 IN. (0.22m)	1.5X	1.5" (38mm)	6.3 OZ. (180 GRAM)	2.5" (63mm)	C/M/N/O/I/P	49mm
Vivitar 100mm MACRO F/3.5	F/3.5-22	5 ELEMENTS 4 GROUPS	1.4 FT. (.43m)	1.2. (1.1) w/ADAPTER	2.8" (71mm)	9 OZ. (256 GRAM)	2.6" (66mm)	C/M/N/O/I/P/Y	49mm
500mm Mirror F/8	F/8	7 ELEMENTS 6 GROUPS	5.5 FT. (1.7m)	1.2.7X	3.4" (86mm)	12.7 OZ. (360 GRAM)	3.0" (76mm)	BODY ONLY T MOUNTS AVAILABLE	30.5mm
Vivitar 28-80mm F/3.5-5.6	F/3.5-22	8 ELEMENTS 8 GROUPS	2.8 FT. (0.8m)	1.4x@80mm	2.9" (74.2mm)	8.3 OZ. (237 GRAM)	2.5" (63.5mm)	C/M/N/O/I/P/Y	58mm
Vivitar 28-210mm F/3.5-5.6	F/3.5-22	14 ELEMENTS 12 GROUPS	8.2 FT. (2.5m)	1.4X@210mm	4.3" (109.5mm)	19 OZ. (540 GRAM)	3.0" (75mm)	C/M/N/O/I/P/Y	72mm
Vivitar 70-210mm F/4.5-5.6	F/4.5-22	10 ELEMENTS 7 GROUPS	3.7 FT. (1.14m)	1.4X@210mm	4.0" (102mm)	16.9 OZ. (480 GRAM)	2.5" (63.5mm)	C/M/N/O/I/P/Y	52mm
Vivitar 70-300mm F/4.5-5.6	F/4.5-22	11 ELEMENTS 8 GROUPS	4.9 FT. (1.5m)	1.3.8X@300mm	6" (152.5mm)	25.7 OZ. (730 GRAM)	2.6" (66mm)	C/M/N/O/I/P/Y	58mm
Vivitar 100-300mm F/5.6-6.7	F/5.6-32	10 ELEMENTS 8 GROUPS	4.9 FT. (1.5m)	1.4X@300mm	5.5" (140.5mm)	17.6 OZ. (500 GRAM)	2.5" (64mm)	C/M/O	52mm

MANUAL FOCUS TELECONVERTERS

- 2X TELECONVERTER MF
- MAGNIFICATION: 2X
- MULTI-COATED
- INCLUDES CASE & PROTECTIVE LENS CAPS
- AVAILABLE SLR MOUNTS: MINOLTA/MIMD (247384), NIKON N-AI-s (247351), PENTAX (247450)



2X Teleconverter MF

FLASH UNITS



Series 1

850AF AUTO FOCUS ZOOM FLASH W/DIGITAL READOUT
 Canon (59910), Minolta (59911),
 Nikon (59912)



VIVITAR

730AF AUTO FOCUS ZOOM FLASH
 Canon EOS (231133), Minolta i (231136), Nikon (231134),
 Pentax AF (231137)



VIVITAR

728AF AUTO FOCUS ZOOM FLASH
 Canon EOS (231175), Minolta i (231177),
 Nikon (231176), Pentax AF (231179)



VIVITAR

283 PRO FLASH
 SKU 233952



VIVITAR

285HV PRO ZOOM FLASH
 SKU 233965



VIVITAR

6000AF AUTO FOCUS RING FLASH
 Canon (59745), Minolta (59747),
 Nikon (59746), Pentax (59748)



VIVITAR

5000 RING FLASH
 SKU 232409



VIVITAR

560D MULTI DEDICATED FLASH
 SKU 59805
 C/M/N/P



VIVITAR

2800 AUTOMATIC FLASH
 SKU 231556



VIVITAR

2000 AUTOMATIC FLASH W/BOUNCE
 SKU 231544C



VIVITAR

16A AUTOMATIC FLASH W/PC CORD
 SKU 231190X



VIVITAR

16M MANUAL FLASH W/PC CORD
 SKU 231192X

FLASH SPECIFICATIONS

	GUIDE NUMBER ISO 100/FT.	AUTOMATIC FLASH RANGE	MULTIPLE F/STOPS	AUTO THYRISTER	SWIVEL HEAD	BOUNCE FLASH	PC CORD INCLUDED	ZOOM FLASH	POWER SOURCE	VARIABLE POWER	DEDICATED CIRCUITRY	AUTO-OFF CIRCUITRY	REMOTE SENSOR	AUTO CHECK	DIGITAL DISPLAY
850AF	120	2.3-130 FT.	TTL	•	•	•		POWER	4AA	•	•	•	•	•	•
730AF	115	2.9-45 FT.	TTL	•	•	•		•	4AA		•			•	
728AF	92	3-40 FT.	TTL	•	•	•		•	4AA		•			•	
283	120	3-43 FT.	F/2.8, 4, 8, 11	•	•	•	•		4AA	*			**	•	
285HV	120	2-70 FT.	F/2.8, 4, 8, 11	•	•	•	•	•	4AA	•			**	•	
6000AF RING FLASH	18	1-4 FT.	TTL						4AA		•				
5000 RING FLASH	18	1-3 FT.	F/5.6				•		2AA			•		•	
560D	80	28 FT.	F/2.8, 5.6	•	•	•	•		4AA		•			•	
2800	80	3-40 FT.	F/2.4	•	•	•			4AA					•	
2000	60	3-5 FT.	F/4		•	•			4AA						
16A	52	2.5-20 FT.	F/2.4				•		2AA						
16M	52	N/A					•		2AA						

* With optional \

** With optional sensor cord

DIGITAL CAMERAS



DIGITAL *MAC/PC Compatible*

VIVICAM 3825 (DC4311)
SKU



DIGITAL *MAC/PC Compatible*

VIVICAM 3725
SKU 59980



DIGITAL *MAC/PC Compatible*

VIVICAM 3735
SKU 60050



DIGITAL *MAC/PC Compatible*

VIVICAM 3665
SKU 60024



DIGITAL *MAC/PC Compatible*

VIVICAM 3625
SKU



DIGITAL *MAC/PC Compatible*

VIVICAM 3615
SKU 59984



DIGITAL *MAC/PC Compatible*

DC3330
SKU



DIGITAL *MAC/PC Compatible*

VIVICAM 3315
SKU 60058



DIGITAL *PC Compatible*

VIVICAM 355
SKU 59982



DIGITAL *MAC/PC Compatible*

VIVICAM 3540
SKU 59986



DIGITAL *PC Compatible*

VIVICAM 3555T
SKU 60046

DIGITAL CAMERA SPECIFICATIONS

MODEL	VIVICAM 3825	VIVICAM 3725	VIVICAM 3735	VIVICAM 3665	VIVICAM 3625	DC3330	VIVICAM 3615	VIVICAM 3315	VIVICAM 355	VIVICAM 3540
RESOLUTION	2272 X 1704, 1600 X 1200 1280 X 960, 640 X 480	2048 X 1536, 1600 X 1200 1280 X 960, 640 X 480	2048 X 1536 1024 X 768	1600 X 1200 800 X 600	1600 X 1200 800 X 600	2048 X 1536 1024 X 768	1600 X 1200, 800 X 600	1280 X 1024 640 X 480	1280 X 1024 640 X 480	1248 X 1008 624 X 504
LENS	AUTO FOCUS ZOOM W/MACRO	AUTO & MANUAL FOCUS ZOOM W/MACRO	AUTO FOCUS W/MACRO	AUTO FOCUS W/MACRO	FIXED FOCUS	AUTO FOCUS W/MACRO	AUTO FOCUS ZOOM	FIXED FOCUS	FIXED FOCUS	FIXED FOCUS
ZOOM	3X OPTICAL 2X DIGITAL	4X OPTICAL 2X DIGITAL	3X OPTICAL 2X DIGITAL ZOOM	3X OPTICAL 2X DIGITAL	2X DIGITAL	3X OPTICAL 2X DIGITAL	2X DIGITAL	2X DIGITAL ZOOM	2X DIGITAL	2X DIGITAL
LCD DISPLAY	1.6" COLOR	1.8" COLOR	1.5" COLOR	1.6" COLOR	1.6" COLOR	1.5" COLOR	1.6" COLOR	1.5" COLOR	1.8" COLOR	N/A
IMAGE SENSOR	CCD	CCD	CCD	CCD	CCD	CCD	CCD	CMOS	CMOS	CMOS
INTERNAL MEMORY	NONE	NO RESIDENT MEMORY	8MB	8MB	8MB	NONE	8MB	8MB	1/2 MB	2MB
EXTERNAL MEMORY	SD/MMC	COMPACT FLASH	COMPACT FLASH	COMPACT FLASH	SD/MMC	SD/MMC	COMPACT FLASH	SD/MMC	COMPACT FLASH	COMPACT FLASH
FLASH	4 MODE AUTO FLASH	4 MODE AUTO FLASH	4 MODE AUTO FLASH	4 MODE AUTO FLASH	4 MODE AUTO FLASH	4 MODE AUTO FLASH	•	4 MODE AUTO FLASH	4 MODE AUTO FLASH	2 MODE AUTO FLASH
IMAGE PLAYBACK	•	•	•	•	•	•	•	•	•	•
OPTICAL VIEWFINDER	•	•	•	•	•	•	•	•	•	•
MACRO MODE	•	•	•	•	•	•	•	•	•	•
SELF TIMER	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY
USB COMPATIBLE	•	•	•	•	•	•	•	•	•	•
MEMORY CARD INCLUDED	16MB CF CARD	16MB CF CARD	16MB CF CARD*	NO*	NO*	NO*	NO*	NO*	NO*	NO*
COMPATIBILITY	MAC/PC	MAC/PC	MAC/PC	MAC/PC	MAC/PC	MAC/PC	MAC/PC	MAC/PC	PC	MAC/PC

* Varies with local retailers as packaging, and bundling options may vary.

DIGITAL CAMERAS



DIGITAL *PC Compatible*

VIVICAM 5
SKU



DIGITAL *PC Compatible*

VIVICAM 10
SKU 59975



DIGITAL *PC Compatible*

VIVICAM 20
SKU 59976



DIGITAL *PC Compatible*

VIVICAM 30
SKU 59977



DIGITAL *PC Compatible*

VIVICAM 40
SKU 59978



DIGITAL *PC Compatible*

VIVICAM 50
SKU 59979



DIGITAL *PC Compatible*

VIVICAM 60

DIGITAL CAMERA SPECIFICATIONS

MODEL	VIVICAM 5	VIVICAM 10	VIVICAM 20	VIVICAM 30	VIVICAM 40	VIVICAM 50	VIVICAM 60	VIVICAM 3555T
RESOLUTION	640 X 480	640 X 480	640 X 480	640 X 480	640 X 480	640 X 480	640 X 480 *	1600 X 1200 *** 1152 X 864, 640 X 480
LENS	FOCUS FREE	FOCUS FREE	FOCUS FREE	FOCUS FREE	FOCUS FREE	FOCUS FREE	FOCUS FREE	FIXED FOCUS
ZOOM								2X DIGITAL
LCD DISPLAY	STATUS LCD	STATUS LCD	STATUS LCD	STATUS LCD	STATUS LCD	STATUS LCD	STATUS LCD	1.4" IMAGE LCD DISPLAY
IMAGE SENSOR	CMOS	CMOS	CMOS	CMOS	CMOS	CMOS	CMOS	CMOS
INTERNAL MEMORY	8MB	8MB	8MB	8MB	8MB	8MB	8MB	8MB
EXTERNAL MEMORY	N/A	N/A	N/A	N/A	N/A	N/A	N/A	SD/MMC CARD
FLASH	•	•	•	•	•	•	•	3 MODE AUTO FLASH
IMAGE PLAYBACK	N/A	N/A	N/A	N/A	N/A	N/A	N/A	•
OPTICAL VIEWFINDER	•	•	•	•	•	•	•	•
MACRO MODE	•	•	•	•	•	•	•	•
SELF TIMER	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY	10 SEC. DELAY
USB COMPATIBLE	•	•	•	•	•	•	•	•
MEMORY CARD INCLUDED	N/A	N/A	N/A	N/A	N/A	N/A	N/A	NO
COMPATIBILITY	PC	PC **	PC **	PC	PC	PC	PC	PC

* 1024 x 768 By Interpolation

** Mac Beta Available Your Request

*** By Interpolation In Camera

SLR CAMERAS



SLR CAMERA

V3000 SLR CAMERA W/50mm F/1.7 LENS
SKU 59765



SLR CAMERA

V3000 SLR CAMERA W/28-70mm LENS
SKU 59766



SLR CAMERA

V3800N SLR CAMERA W/50mm F/1.7 LENS
W/HOOD, CASE & WIDE STRAP
SKU 59880



SLR CAMERA

V3800N SLR CAMERA W/28-70mm LENS
W/HOOD, CASE & WIDE STRAP
SKU 59890



SLR CAMERA

V4000 SLR CAMERA W/50mm F/1.9 LENS
SKU 105833



SLR CAMERA

V4000 SLR CAMERA W/35-70mm LENS
SKU 105826

	V3000	V3000 w/ZOOM	V3800N	V3800N w/ZOOM	V4000	V4000 w/ZOOM
LENS	50mm F/1.7	28-70mm F/3.4-4.8	50mm F/1.7	28-70mm F/3.4-4.8	50mm F/1.9	35-70mm F/3.5-4.8
SPLIT IMAGE FOCUSING	•	•	45°	45°	•	•
MANUAL ADVANCE	•	•	•	•	•	•
FLASH HOTSHOE	•	•	•	•	•	•
QUICK RELEASE "K" TYPE MOUNT	•	•	•	•	•	•
CENTER WEIGHTED TTL METERING	•	•	•	•	•	•
BRIGHT VIEWFINDER	•	•	•	•	•	•
THREE LED DISPLAY	•	•	•	•	•	•
PC CONTACT FOR OFF CAMERA FLASH	•	•	•	•	•	•
VERTICAL TRAVEL METAL SHUTTER	•	•	•	•	•	•
1/125th SEC. FLASH SYNC	•	•	•	•	•	•
SELF-TIMER	•	•	•	•	•	•
DEPTH OF FIELD PREVIEW			•	•		
MULTI-EXPOSURE			•	•		

35MM CAMERAS



AUTO FOCUS CAMERA

BV35
Date Back: 083027
Non Date: 083025
Clam Kit: 988025



AUTO FOCUS CAMERA

BV85 DB
SKU 083087



FF MOTOR CAMERA

EZ MOTOR DB METALLIC
SKU 082372C



FF MOTOR CAMERA

BV40
SKU 083040



FOCUS FREE CAMERA

T201P
SKU 59882



FOCUS FREE CAMERA

T301
SKU 59988



FOCUS FREE CAMERA

EZ35 COLORS
Clam Kit SKU No.: Red 59886, Green 59887, Blue 59888

ZOOM CAMERAS



POWER ZOOM CAMERA

PZ3155 DB DATE-A-PRINT W/38-155mm POWER ZOOM
SKU 59869



POWER ZOOM CAMERA

PZ3140 DB W/38-140mm POWER ZOOM
SKU 59352



POWER ZOOM CAMERA

PZ3125 DB W/38-125mm POWER ZOOM
SKU 59789



POWER ZOOM CAMERA

PZ3115 DATE-A-PRINT W/38-115mm POWER ZOOM
SKU 59892



POWER ZOOM CAMERA

PZ3090 DB W/38-90mm POWER ZOOM
SKU 59889



POWER ZOOM CAMERA

PZ3070DB W/35-70mm POWER ZOOM
SKU 598341



POWER ZOOM CAMERA

PZ3052 DATE-A-PRINT W/35-52mm POWER ZOOM
SKU 59871



MANUAL ZOOM CAMERA

230Z W/35-52mm MANUAL ZOOM
SKU 59872



MANUAL ZOOM CAMERA

240Z W/35-52mm MANUAL ZOOM
SKU 60022

ZOOM CAMERA SPECIFICATIONS

	PZ3155 DB	PZ3140 DB	PZ3125 DB	PZ3115 DB	PZ3090 DB	PZ3070 DB	PZ3052 DB	230Z	240Z
POWER ZOOM	38-155mm	38-140mm	38-125mm	38-115mm	38-90mm	35-70mm	35-52mm		
MANUAL ZOOM								35-52mm	35-52mm
AUTO FOCUS	•	•	•	•	•	•			
FOCUS FREE							•	•	•
MOTORIZED	•	•	•	•	•	•	•	•	•
MULTI-MODE FLASH	•	•	•	•	•	•	•		
AUTO FLASH	•	•	•	•	•	•	•	•	
AUTO DX FILM SETTING	•	•	•	•	•	•	•	•	•
PROGRAMMED SHUTTER	•	•	•	•	•	•	•	•	
RED-EYE REDUCTION	•	•	•	•	•	•	•	•	
DATA BACK CAPABILITY	•	•	•	•	•	•	•		
SELF-TIMER	•	•	•	•	•	•	•	•	
LCD DISPLAY	•	•	•	•	•	•	•	•	
PANORAMA		•					•		
MACRO FOCUS						•			

AUTO FOCUS CAMERAS

	BV35	BV35 DB	BV85 DB	EZ MOTOR DB
AUTO FOCUS	•	•	•	
MOTORIZED	•	•	•	•
3-WAY AUTO FLASH			•	
AUTO FLASH	•	•		•
BIG VIEWFINDER	•	•	•	
DX AUTO FILM SPEED SETTING	•	•	•	
PROGRAMMED SHUTTER		•	•	
RE-EYE REDUCTION	•	•	•	•
DATA BACK CAPABILITY		•	•	•
SELF-TIMER			•	
LCD DISPLAY			•	

FOCUS FREE CAMERAS

	BV40	T201P	T301	EZ35 COLORS
FOCUS FREE	•	•	•	•
MOTORIZED	•		•	
ELECTRONIC FLASH	•	•	•	•
BIG VIEWFINDER	•			
DX AUTO FILM SPEED SETTING	•			
RED-EYE REDUCTION	•	•	•	
DATA BACK CAPABILITY	•			
PANORAMA		•		
POWER SOURCE	2 AA	2 AA	2 AA	1 AA

SPECIALITY CAMERAS

UNDERWATER CAMERAS

MODEL	FOCUS FREE	AUTO FLASH	UNDERWATER USE	SPORTS VIEWFINDER	CLOSE-UP LENS	POWER SOURCE	REMOVABLE HOUSING
UNDERWATER CRUISE CAM	•	•	UP TO 15M	•	•	2AA	•
MARINER	•	•	UP TO 3M			1AA	•



UNDERWATER CAMERA

CRUISE CAM
SKU 59905



35mm W/LCD DISPLAY

CAPTURE 35
SKU 60001



UNDERWATER CAMERA

MARINER
SKU 59969

CAPTURE 35 35mm W/LCD DISPLAY

35mm LENS	DIGITAL LENS	CAMERA RESOLUTION	SENSOR	FILM FORMAT	DIGITAL DISPLAY	EXPOSURE	FLASH/GUIDE NO.	EFFECTIVE FLASH RANGE	FLASH RECYCLING TIME	FILM SPEED
35mm F/4	3.8mm F/3.5	320x240	CMOS	35mm	1.8" COLOR	ELECTRONIC SHUTTER	3 WAY 28	1.5-3m	8 SEC.	AUTO DX 100/400

RED-EYE TIMER	SELF TRANSPORT	FILM COUNTER	FRAME DISPLAY	LCD MODE	FLASH MODE	FUNCTION DELETE	MEMORY CHECK	BATTERY
•	10 SEC. DELAY	AUTO w/ MID-ROLL REWIND	STATUS LCD	•	4 MODES	SELF-TIMER, DELETE, INFINITY	•	•

3D CAM MONO/TWIN STEREO



3D STEREO CAMERA

3D CAM
SKU 59930



FILM LENS	FILM FORMAT	SHUTTER	APERATURE	FOCUS RANGE	FRAME COUNTER	FILM ADVANCE	FILM REWIND	AUTO POWER OFF	FLASH	POWER SOURCE	INCLUDED
TWIN 35mm F/5.6	35mm	2 SPEED PROGRAM SHUTTER	F/5.6 W/FLASH F/11 DAYLIGHT	PAN FOCUS (5 FT.-INFINITY)	PROGRESSIVE W/AUTO RESET	MOTORIZED	MOTORIZED	AUTO OFF 2 MIN.	AUTO (5-12 FT.)	TWO AA ALKALINE	VIEWER

BINOCULARS



PV SPORT

8 X 21 FOLDING ROOF PRISM
SKU 634636L



PV SPORT

10 X 25 FOLDING ROOF PRISM
SKU 634640L



PV SPORT

10 X 26 COMPACT PORRO
SKU 634728



PV SPORT

8 X 40 WA
SKU 59439



PV SPORT

10 X 50 WA
SKU 59440



Classic

4 X 30 MINI COMPACT
SKU 634104L



Classic

8 X 22 COMPACT PORRO
SKU 634642L



Classic

7 X 35
SKU 59445



Classic

10 X 50
SKU 59446

	PV 8 X 21	PV 10 X 25	PV 10 X 26	PV 8 X 40 WA	PV 10 X 50 WA	4 X 30 MINI	8 X 22	7 X 35	10 X 50
SERIES	PV	PV	PV	PV	PV	CLASSIC	CLASSIC	CLASSIC	CLASSIC
MAGNIFICATION	8X	10X	10X	8X	10X	4X	8X	7X	10X
OBJECTIVE DIAMETER	21mm	25mm	26mm	40mm	50mm	30mm	22mm	35mm	50mm
PRISM SYSTEM	ROOF/BAK2	ROOF/BAK2	PORRO/BAK4	PORRO/BAK7	PORRO/BAK7	NO PRISM	PORRO/BAK7	PORRO/BAK7	ROOF/BAK7
FIELD OF VIEW @ 1000 YDS.	367 FT.	288 FT.	273 FT.	410 FT.	367 FT.	241 FT.	367 FT.	410 FT.	295 FT.
EYE RELIEF	10mm	10.2mm	8.9mm	12mm	12.7mm	10mm	9mm	11mm	13mm
RELATIVE BRIGHTNESS	6.9	6.25	6.8	25	25	56.25	7.5	25	25
WEIGHT	7.0 OZ.	11.3 OZ.	9.8 OZ.	26.4 OZ.	30.2 OZ.	8 OZ.	6 OZ.	17.5 OZ.	22.9 OZ.
DIMENSIONS	3.5 X 2.1 X 3.3"	4.4 X 2.1 X 3.5"	3.7 X 3.7 X 1.9"	7.5 X 2.4 X 5.7"	7.7 X 2.6 X 6.3"	3.3 X 4.3 X 1.5"	3.1 X 2.1 X 3.5"	5.2 X 6.1 X 7"	7.1 X 6.6 X 7"

NIGHT VISION SCOPES



NIGHT EYE™

IR750
SKU 59940



NIGHT EYE™

IR760
SKU 59939



NIGHT EYE™

IR770
SKU 59941



NIGHT EYE™

IR 780 WP
SKU 59938

	IR750	IR 760	IR770	IR780
GENERATION	1	1	1	1
MAGNIFICATION	2	3.1	2.3	2.4
FIELD OF VIEW	20°	17°	10°	26°
LENS APERTURE,mm	35	35	42	56
DYOPTIC CORRECTION	+/- 4	+/- 4	+/- 4	+/- 4
BATTERY	NOT REQUIRED	2X AAA	3V LITHIUM CR2	2X AAA
WEIGHT, kg	0.39	0.39	0.480	0.50
DIMENSIONS, mm	160 X 60 X 65	55 X 821 X 140	185 X 85 X 65	106 X 151 X 74

ACCESSORIES



VPT TRIPOD

VPT 10
SKU 654815
Folded: 20"
Extended: 51"
Weight: 2 lbs.
Warranty: 1 Year

PRO LINE

PL100
SKU 59836
Folded: 24.5"
Extended: 59.75"
Weight: 5.9 lbs.
Warranty: 5 Yr.



PL200
SKU 59837
Folded: 25.12"
Extended: 61"
Weight: 6.9 lbs.
Warranty: 5 Yr.



PL300
SKU 59838
Folded: 25.87"
Extended: 61.75"
Weight: 6.6 lbs.
Warranty: 5 Yr.

GX SERIES

V2200GX
SKU 59601
Folded: 21"
Extended: 59"
Weight: 2.2 lbs.
Warranty: 1 Year



V2400GX
SKU 59602
Folded: 22"
Extended: 60"
Weight: 2.4 lbs.
Warranty: 1 Year



V2800GX
SKU 59603
Folded: 24"
Extended: 63"
Weight: 3.2 lbs.
Warranty: 1 Year



TRIPOD SPECIFICATIONS

	3 WAY PAN HEAD	OFFSET BALL HEAD	QUICK RELEASE	BUBBLE LEVEL	GEARED ELEVATOR COLUMN	ELEVATOR FRICTION CONTROL	RADIAL TRI-BRACE	3 SECTION LEG ASSEMBLY	360° SCALE INDICATOR	ADJUSTABLE LEG ANGLE	FLIP LEVER LEG LOCK	ACCESSORY HOOK
VPT 10			•	•	•	•	•	•			•	
V2200GX	•		•	•	•	•	•	•			•	•
V2400X	•		•	•	•	•	•	•			•	•
V2800GX	•		•	(2)	•	•	•	•			•	•
PL100	•		•	•	•	•		•	•	•	•	•
PL200	•			•	•	•		•	•	•	•	•
PL300		•	•	•	•	•		•	•	•	•	•



DIGITAL LCD PROJECTOR

DP-1500X LCD PROJECTOR
SKU 60071



PROJECTOR

5000AF SLIDE PROJECTOR
SKU 514605
Tray Capacity: 100 35mm Slides

PROJECTOR SPECIFICATIONS

	LENS	FOCUS	REMOTE CONTROL	FRONT ELEVATION	LAMP	EDITOR	INPUT FORMAT	INCLUDED
5000AF	85mm F/2.8	Auto Focus	FORWARD & REVERSE	2 ADJUSTMENTS ELEVATION & HORIZONTAL	24 VOLT/150 WATTS QUARTZ HALOGEN	ILLUMINATED SLIDE VIEWER	100 CAPACITY ROTARY TRAY OR UNIVERSAL STRAIGHT MAGAZINE TRAY	ONE S-100 ROTARY SLIDE TRAY, LAMP REMOVAL TONGS
DP-1500X	37.8 - 49.2mm	MANUAL FOCUS MANUAL ZOOM	IR REMOTE	2 ADJUSTMENTS	1500 LUMENS/150 WATTS	N/A	VGA, S-VIDEO COMPOSITE VIDEO, COMPONENT VIDEO, DVI	REMOTE CARRYING CASE, CABLES

VIVITAR WORLDWIDE OFFICES:

VIVITAR USA

1280 Rancho Conejo Boulevard
Newbury Park, CA 91320 USA
<http://www.vivitar.com>
☎ 805/498-7008

VIVITAR FRANCE

48, rue Léonard de Vinci
BP 177
95691-Goussainville Cedex
France
☎ 33-1/34.38.78.00

VIVITAR HONG KONG

Suite 1004, 10th Floor
Conic Investment Building
13 Hok Yuen Street
Hungohm, Kowloon
Hong Kong
☎ 852/2 363-6313

VIVITAR UK

22-23 Westmead
Swindon, Wiltshire
SN5 7YT England
☎ (44) 1-793-526-211

VIVITAR CANADA

90 Royal Crest Court
Markham, Ontario
Canada, L3R 9X6
☎ 905/513-7733

Vivitar
We make it easy™