



**MIDWEST INDUSTRIAL  
SUPPLY, INC.  
GSA PRICE LIST**



Issued 12/17/04

**GENERAL SERVICES ADMINISTRATION**

Prices Shown Herein are Net (discount deducted)

**Federal Supply Service**  
**Authorized Federal Supply Schedule Price List**

On-line access to contract ordering information, terms and conditions, up-to-date pricing, and the option to create an electronic delivery order are available through GSA *Advantage!*, a menu-driven database system. The INTERNET address GSA *Advantage!*™ is: <http://www.GSAAdvantage.gov>.

**SCHEDULE TITLE:** FSC Group 73, Part VI, For Chemicals and Chemical Products

**FSC CLASS:** 6810, 6830, 6840, 6850

**CONTRACT NUMBER:** GS-07F-0235M

For more information on ordering from Federal Supply Schedules click on the FSS Schedules button at [fss.gsa.gov](http://fss.gsa.gov).

**CONTRACT PERIOD:** 04/01/02 THROUGH 03/31/07

**CONTRACTOR'S NAME, ADDRESS, TELEPHONE, FAX NUMBER, E-MAIL ADDRESS:**

Midwest Industrial Supply, Inc.  
1101 Third Street, SE  
Canton, Ohio 4470  
Telephone: 330/456-3121  
Toll Free: 800/321-0699  
Fax: 330/456-3247  
E-Mail: [kim@midwestind.com](mailto:kim@midwestind.com)  
Website: [www.midwestind.com](http://www.midwestind.com)

**CONTRACTOR'S ADMINISTRATION SOURCE:**

Mr. Robert Vitale, President

**BUSINESS SIZE/TYPE:** Small/Manufacturer

## CUSTOMER INFORMATION

### 1a. Table of Awarded Special Item Numbers (SIN's)

<u>SIN</u>	<u>DESCRIPTION</u>
681 1	Road Stabilization/Ice melting Chemicals or Chemical Formulations.

### 1b. See Price List Provided

2. **Maximum Order:**  
\$500,000.00

3. **Minimum Order:**  
\$100.00

4. **Geographic Coverage:**  
48 Contiguous States and the District of Columbia

5. **Points of Production:**  
Same

6. **Basic Discount:**  
10%

7. **Quantity Discount(s):**  
None

8. **Prompt Payment Terms:**  
1%-10 / Net 45

9.a. **Government Purchase Cards Are:**  
Accepted Below the Micropurchase Threshold.

9.b **Government Purchase Cards Are:**  
Accepted Above the Micropurchase Threshold.

10. **Foreign Items:**  
None

11.a. **Time of Delivery:**  
2 Days A.R.O.

11.b. **Expedited Delivery:**  
2 Days A.R.O. Items available for expedited delivery are noted in the price list.

Prices Shown Herein are Net (discount deducted)

- 11.c. **Overnight and 2-Day Delivery:**  
Customer may call for availability and rates for overnight and 2-day delivery.
- 11.d. **Urgent Requirements:**  
“Urgent Requirements” clause applies. Agencies can contact contractor’s representative to possibly effect a faster delivery.
12. **F.O.B. Point:**  
Origin
13. **Ordering Address:**  
Same as Contractor
14. **Payment Address:**  
Same as Contractor
15. **Warranty Provision:**  
Standard Commercial Warranty. Customer should contact contractor for a copy of the warranty.
16. **Export Packing Charges:**  
Not Applicable
17. **Terms and Conditions of Government Purchase Card Acceptance:**  
Contractor will accept Government Purchase Card for orders of \$2,500.00 or less. Contact contractor for acceptance of larger orders.
18. **Terms and Conditions of Rental, Maintenance, and Repair:**  
Not Applicable
19. **Terms and Conditions of Installation:**  
Not Applicable
- 20a. **Terms and Conditions of Repair Parts Indicating Date of Parts Price Lists and any discounts From List Prices:**  
Not Applicable
- 20b. **Terms and Conditions For any Other Services:**  
Not Applicable

21. **List of Service and Distribution Points:**

1101 Third St., SE  
Canton, Ohio 44707

424 County Road 603  
Dayton, Texas 77535

1665 W. Betteravia Road  
Santa Maria, CA 93455

22. **List of Participating Dealers:**

Not Applicable

23. **Preventative Maintenance:**

Not Applicable

24. **Environmental Attributes (e.g. Recycled Content, Energy Efficiency, and/or Reduced Pollutants):**

SOIL-SEMENT® Dust and Erosion Control Agent and SOIL-SEMENT® Engineered Formula

1. Offers over an 84% reduction in PM<sub>10</sub> fugitive emissions.
2. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
3. Does not contain constituents that will deplete the ozone or contribute to global warming.
4. Non-hazardous per OSHA.
5. Non-hazardous per DOT.
6. Will not contribute volatile organic compounds, semi-volatile compounds or metals to groundwater or stormwater runoff.
7. Virtually non-toxic to aquatic species: rainbow trout, Daphnia magna and fathead minnow.
8. Reduces steep slope erosion and sediment delivery by over 54%.
9. Dries clear, non-tracking.

ENVIROKLEEN® Synthetic Organic Dust Control Agent

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Virtually non-toxic to aquatic life: Daphnia magna, Rainbow trout.
4. Does not product water sheen.
5. Does not contain volatile organic compounds, semi-volatile compounds or metals that can leach into groundwater or contribute to stormwater runoff.
6. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
7. Does not contain constituents that will deplete the ozone or contribute to global warming.

Prices Shown Herein are Net (discount deducted)

8. Significantly reduces PM<sub>10</sub> fugitive dust emissions.
9. Not water-soluble and will not runoff or leach through soil.
10. Applied neat, without the need for additional water for application, therefore conserves water supply.

#### EK®35 Intense Use Dust Control Agent

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Will not leach volatile compounds, semi-volatile compounds or metals into groundwater or stormwater runoff above regulatory levels.
4. Will not contribute PAH above regulatory levels.
5. Virtually non-toxic to aquatic species (Ceriodaphnia dubia, Fathead minnow) in water runoff studies.
6. Significantly reduces PM<sub>10</sub> fugitive dust emissions.
7. Not water-soluble and will not runoff or leach through soil.
8. Applied neat, without the need for additional water for application, therefore conserves water supply.

#### ARENA RX® Clean Air for Horse and Rider

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Virtually non-toxic to aquatic life: Daphnia magna, Rainbow trout.
4. Does not product water sheen.
5. Does not contain volatile organic compounds, semi-volatile compounds or metals that can leach into groundwater or contribute to stormwater runoff.
6. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
7. Does not contain constituents that will deplete the ozone or contribute to global warming.
8. Significantly reduces PM<sub>10</sub> fugitive dust emissions.
9. Not water-soluble and will not runoff or leach through soil.
10. Applied neat, without the need for additional water for application, therefore conserves water supply.

#### ICE FREE CONVEYOR® Winter Operating Agent

1. Non-hazardous per DOT.
2. Low aquatic toxicity (fish species).
3. Moderately biodegradable (both aerobic and anaerobic).

#### ICE-FYGHTER-D Liquid Belt Ice Preventer & De-Icer

1. Non-hazardous per DOT.
2. Low aquatic toxicity (fish species).
3. Moderately biodegradable (both aerobic and anaerobic).

#### ENVIRO-MLT® De-Icing and Anti-Icing Agent

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Easily biodegrades at low temperatures.
4. Relatively low biological oxygen demand (BOD).
5. Does not contain hazardous nitrogen compounds.
6. Virtually non-toxic to aquatic life (Fathead minnow, Rainbow trout, daphnia magna).
7. Non-corrosive to most metal surfaces.

#### ENVIRO-MLT® DD De-Icer Pellets

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Easily biodegrades at low temperatures.
4. Relatively low biological oxygen demand (BOD).
5. Does not contain hazardous nitrogen compounds.
6. Virtually non-toxic to aquatic life (Fathead minnow, Rainbow trout, daphnia magna).
7. Non-corrosive to most metal surfaces.

#### GRAVITY PLUS® Anti-Sticking Agent

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Virtually non-toxic to aquatic life: Daphnia magna, Rainbow trout.
4. Does not product water sheen.
5. Does not contain volatile organic compounds, semi-volatile compounds or metals that can leach into groundwater or contribute to stormwater runoff.
6. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
7. Does not contain constituents that will deplete the ozone or contribute to global warming.
8. Not water-soluble and will not runoff or leach through soil.

#### GLIDEX® Track Switch Lubricant

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Virtually non-toxic to aquatic life: Daphnia magna, Rainbow trout.
4. Does not product water sheen.
5. Does not contain volatile organic compounds, semi-volatile compounds or metals that can leach into groundwater or contribute to stormwater runoff.
6. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
7. Does not contain constituents that will deplete the ozone or contribute to global warming.

Prices Shown Herein are Net (discount deducted)

8. Not water-soluble and will not runoff or leach through soil.

**ICE FREE SWITCH® Winter Operating Agent** Enhanced with Zero Gravity® Technology

1. Non-hazardous per DOT.
2. Low aquatic toxicity (fish species).
3. Moderately biodegradable (both aerobic and anaerobic).

**ZERO GRAVITY™ THIRD RAIL ANTI-ICER/DEICER**

1. Non-hazardous per DOT.
2. Low aquatic toxicity (fish species).
3. Moderately biodegradable (both aerobic and anaerobic).

**SLIDEX The Protector Synthetic Organic Lubricant**

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Virtually non-toxic to aquatic life: Daphnia magna, Rainbow trout.
4. Does not product water sheen.
5. Does not contain volatile organic compounds, semi-volatile compounds or metals that can leach into groundwater or contribute to stormwater runoff.
6. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
7. Does not contain constituents that will deplete the ozone or contribute to global warming.
8. Not water-soluble and will not runoff or leach through soil.

**SLIDEX The Penetrator Synthetic Organic Penetrator**

1. Non-hazardous per OSHA.
2. Non-hazardous per DOT.
3. Virtually non-toxic to aquatic life: Daphnia magna, Rainbow trout.
4. Does not product water sheen.
5. Does not contain volatile organic compounds, semi-volatile compounds or metals that can leach into groundwater or contribute to stormwater runoff.
6. Does not contain polycyclic organic matter (POM) which includes carcinogenic polycyclic aromatic hydrocarbons (PAH).
7. Does not contain constituents that will deplete the ozone or contribute to global warming.
8. Not water-soluble and will not runoff or leach through soil.

25. **Data Universal Number System (DUNS) Number:**  
081777104

26. **Notification Regarding Registration in Central Contractor Registration (CCR) Database:**  
Not Applicable



**MIDWEST INDUSTRIAL SUPPLY, INC.**

**TABLE OF  
CONTENTS**

<b><u>SIN#</u></b>	<b><u>PRODUCT</u></b>	<b><u>PRICE LIST PAGE</u></b>
681 1	<b>ARENA Rx® Clean Air for Horse and Rider</b> An environmentally safe, organic dust control agent designed specifically for indoor and outdoor riding arenas, horse stables, and other areas where horses work, exercise and perform.	i
681 1	<b>DUST - FYGHTER® Chloride Dust Suppressant</b> A chloride dust suppressant that continuously absorbs moisture from the air and locks it into the dust surfaces, resulting in a hardpacked, dust-free dirt road.	i
681 1	<b>EK®35 Intense Use Dust Control Agent</b> An environmentally friendly synthetic fluid and rosins formula that provides dust control and soil stabilization with the ability to provide a dust suppressing weighing mechanism, while acting as a durable reworkable binder.	i
681 1	<b>ENVIROKLEEN® Synthetic Organic Dust Control Agent</b> A uniquely pure, non-toxic, environmentally friendly, clean, oil-sheen free, colorless, odorless and safe for human, and plant life. It will not stick to vehicles, or onto materials placed on treated surfaces.	i
681 1	<b>ENVIRO-MLT® De-icing and Anti-icing Agent</b> Serving as both a de-icer and anti-icer that can be utilized at utilities, railroads, iron and steel industries, and mass transit.	i
681 1	<b>ENVIRO-MLT® DD De-icer Pellets</b> A spherical pellet solid de-icer that is a noncorrosive environmentally friendly alternative to salts, and calcium chloride.	i
681 1	<b>GLIDEX® Track Switch Lubricant</b> A track switch agent that is used for lubrication and anti-icing of railroad switches, slide plates, movable bridges, overhead crane rails, couplers, and more.	ii
681 1	<b>GRAVITY PLUS® Anti-Sticking Agent</b> An anti-sticking agent that prevents coal, coke, sand, flyash or other materials from sticking, that will not chip or flake.	ii
681 1	<b>HAUL ROAD DUST CONTROL® Dust Wetting Additive</b> A special blend of surfactants which increases the ability of water to wet and suppress road dust.	ii
681 1	<b>ICE FYGHTER D™ Liquid Belt De-icer and Preventer</b> An eliminator to coal handling problems caused by icing, fines build-up, and belt hardening with operating temperatures less than -20 degrees.	ii
681 1	<b>ICE FREE CONVEYOR® Winter Operating Agent</b> An eliminator to coal handling problems caused by icing, fines build-up, and belt hardening.	ii
681 1	<b>ICE FREE SWITCH® Winter Operating Switch Agent</b> An anti-icing agent that is applied to switch points, plates, and rail prior to snow or ice storms.	iii

Prices Shown Herein are Net (discount deducted)

681 1	<b>ROAD PRO® Asphalt Emulsion Dust Control</b>	iii
	A specially formulated asphalt emulsion dust control agent which creates a dust-free surface with superior strength by penetrating, saturating and bonding surface dust and aggregates together.	
681 1	<b>ROAD PRO® NT Asphalt &amp; Polymer Emulsion Systems</b>	iii
	A polymer asphalt emulsion blend that provides immediate dust particles agglomeration and long term binding of road surfaces.	
681 1	<b>SLIDEX The Protector Synthetic Organic Lubricant</b>	iii
	A multipurpose industrial lubricant available in an aerosol can.	
681 1	<b>SLIDEX The Penetrator Synthetic Organic Penetrator</b>	iii
	A multipurpose protection oil available in an aerosol can.	
681 1	<b>SOIL~SEMENT® Dust and Erosion Control Agent</b>	iii
	A powerful polymer emulsion that produces highly effective control of dust and erosion and soil stabilization, and provides superior bonding, cohesion, versatility, cost effectiveness, and environmental compliance.	
681 1	<b>SOIL~SEMENT® Engineered Formula</b>	iv
	A high performance, critical application polymer emulsion designed to give exceptional dry strength and exceptional wet strength properties in engineered applications only available as part of the Road BLDR engineered design and installation procedures.	
681 1	<b>ZERO GRAVITY® THIRD RAIL Anti-icer/De-icer</b>	iv
	NASA technology "smart fluid" to prevent uninterrupted equipment operation at freezing temperatures.	
681 1	<b>HMMWV Dust Abatement Spray Unit</b>	iv

<b>ARENA RX® Clean Air for Horse and Rider</b>					
F.O.B.	5-GALLON MINE PACK	55-GALLON DRUM	275-GALLON BULK TANK REUSABLE	BULK	
Canton, OH	\$35.68/Each	\$5.34/Gallon	\$5.34/Gallon	\$4.44/Gallon	

<b>EK®35 Intense Use Dust Control Agent</b>					
F.O.B.	55-GALLON DRUM		275-GALLON BULK TANK (REUSABLE)	BULK	
Canton, OH	\$5.34/Gallon		\$5.34/Gallon	\$4.44/Gallon	

<b>ENVIROKLEEN® Synthetic Organic Dust Control Agent</b>					
F.O.B.	55-GALLON DRUM		275-GALLON BULK TANK (REUSABLE)	BULK	
Canton, OH	\$4.90/Gallon		\$4.90/Gallon	\$4.00/Gallon	

<b>ENVIRO-MLT De-Icing and Anti-Icing Agent</b>				
F.O.B.	55-GALLON DRUM	275-GALLON TANK	5-GALLON MINE-PACK	BULK
Canton, OH	\$5.27/Gallon	\$5.76/Gallon	\$30.75/Each	\$4.19/Gallon

<b>ENVIRO-MLT DD De-Icer Pellets</b>				
F.O.B.	QUANTITY	SUPERSAK (2200 LBS)	FIBER DRUM (100 LBS)	PLASTIC PAIL (26 LBS)
Canton, OH	1 – 19 TONS	\$1,763.95/Ton	\$87.97/Drum	\$40.35/Pail

<b>GLIDEX®</b>					
F.O.B.	5-GALLON MINE PACK		55-GALLON DRUM	275-GALLON BULK TANK	BULK
Canton, OH	Quantity	\$ per Mine Pack	\$7.50/Gallon	Price on Request	Price on Request
	1-5	\$44.66/Each			
	6-24	\$41.07/Each			
	25-48	\$40.17/Each			
	49+	\$39.27/Each			

GRAVITY PLUS® Anti-Sticking Agent				
F.O.B.	55-GALLON DRUM	275-GALLON BULK TANK	5-GALLON MINE-PACK	BULK
Canton, OH	\$6.78/Gallon	\$7.14/Gallon	\$58.30/Each	\$5.34/Gallon

<b>HAUL ROAD DUST CONTROL® Dust Wetting Additive</b>					
F.O.B.	QUANTITY	55-GALLON DRUM	275-GALLON TOTE	BULK	TURN-KEY
Canton, OH	1 – 10	\$4.58/Gallon	\$5.01/Gallon	\$3.07/Gallon	
	10 – 20	\$4.20/Gallon	\$4.63/Gallon		
	20+	\$4.04/Gallon	\$4.47/Gallon		

ICE-FYGHTER – D Liquid Belt Ice Preventer & De-Icer				
F.O.B.	55-GALLON DRUM	275-GALLON BULK TANK	5-GALLON MINE-PACK	BULK
Canton, OH	\$6.27/Gallon	\$6.77/Gallon		\$5.78/Gallon

<b>ICE FREE CONVEYOR® Winter Operating Agent</b>					
F.O.B.		55-GALLON DRUM	275-GALLON BULK TANK	5-GALLON MINE-PACK	BULK
Canton, OH	Standard	\$12.43/Gallon	\$12.93/Gallon	\$73.39/Each	\$10.67/Gallon
	Preferred	\$10.56/Gallon	\$11.05/Gallon	\$73.39/Each	\$8.77/Gallon

**ICE FREE SWITCH® (DEG/PG) Winter Operating Switch Agent**  
**Enhanced with Zero Gravity® Technology**

F.O.B.	QUANTITY	55-GALLON DRUM	275-GALLON BULK TANK	5-GALLON MINE-PACK	BULK
Canton, OH	1 – 4	\$13.33/Gallon	\$13.82/Gallon	\$77.87/Each	
	5 – 9	\$12.67/Gallon	\$13.13/Gallon	\$77.87/Each	
	10 – 24	\$12.33/Gallon	\$12.78/Gallon	\$77.87/Each	
	25 – 49	\$12.00/Gallon		\$77.87/Each	
	50 – 99	\$11.66/Gallon		\$77.87/Each	
	100+	\$11.33/Gallon		\$77.87/Each	
	Any				\$11.50/Gallon

**ROAD PRO® Asphalt Emulsion Dust Control &**  
**ROAD PRO® NT Asphalt Emulsion & Polymer Emulsion Systems**

F.O.B.	BULK	
Canton, OH	\$1.69/Gallon	

**SLIDEX™ the protector Synthetic Organic Lubricant**

F.O.B.	6 oz. (200 ml.) Aerosol	12 oz. (350 ml.) Aerosol
Canton, OH	\$49.12 Case of 12	\$70.93 Case of 12

**SLIDEX™ the penetrator Synthetic Organic Penetrator**

F.O.B.	6 oz. (200 ml.) Aerosol	12 oz. (350 ml.) Aerosol
Canton, OH	\$37.97 Case of 12	\$53.81 Case of 12

**SOIL-SEMENT® Dust Control & Soil Stabilization Agent**

F.O.B.	5-GALLON MINE PACK	55-GALLON DRUM	264-GALLON BULK TANK	275-GALLON BULK TANK (REUSABLE)	BULK	
Canton, OH	\$49.96/each	\$5.40/Gallon	\$5.40/Gallon	\$5.40/Gallon	\$4.01/Gallon	

<b>SOIL-SEMENT® Engineered Formula</b>						
<b>F.O.B.</b>	<b>5-GALLON MINE PACK</b>	<b>55-GALLON DRUM</b>	<b>264-GALLON BULK TANK</b>	<b>275-GALLON BULK TANK (REUSABLE)</b>	<b>BULK</b>	
<b>Canton, OH</b>	<b>\$105.15/each</b>	<b>\$10.95/Gallon</b>	<b>\$10.95/Gallon</b>	<b>\$10.95/Gallon</b>	<b>\$9.78/Gallon</b>	

ZERO GRAVITY™ THIRD RAIL ANTI-ICER/DEICER (DEG/PG) Anti-Icer/De-Icer				
F.O.B.	55-GALLON DRUM	275-GALLON BULK TANK	5-GALLON MINE-PACK	BULK
Canton, OH	\$7.00/Gallon	\$8.44/Gallon	\$43.81/Each	\$5.78/Gallon

<b>HMMWV Dust Abatement Unit</b>	
<b>FOB: Canton, OH</b>	<b>\$18,719.37/each</b>