

ABSOLUTELY the LOWEST pricing on these items, ANYWHERE!

YOU NEED to get the job done!

## FREE Shipping

on all tools and test equipment in this flyer.

Free shipping applies to Continental U.S. Prices available while supplies last and are subject to change







Canvas Tool Bag (see page 3)

16 Oz. Heavy-Duty Curved-Claw Hammer 818-16 Klein, Clifford No. 6-587-0-3



9-1/4" Side-Cutting Pliers with Crimping Die (see page 1)

\$36.50 ea.

your source for TOOLS, WIRE & CABLE



#### Screwdrivers & Sets

Cabinet-Tip Cushion-Grip Screwdriver: \$4.50 ea.

Round-shank, 3/16" x 6", overall length 9-3/4", 601-6 Klein, Clifford No. 6-585-2-3

Keystone-Tip Cushion-Grip Screwdriver: \$5.50 ea.

Heavy-duty, square-shank, overall length 8-11/32", 600-4 Klein, Clifford No. 6-585-1-4

Keystone-Tip Cushion-Grip Screwdriver: \$6.50 ea.

Heavy-duty, 5/16" x 6", square-shank, overall length 10-15/16",

600-6 Klein, Clifford No. 6-585-1-5

Screwdriver/Nut Driver: 10-in-1, 5/16" & 1/4" nut drivers, reversible screwdriver bits include: #2 Phillips-1/4" slotted, #1 Phillips-3/16" slotted, #15-#10 Torx® and #1-#2 square-recess, cushion-grip handle, 32477 Klein, Clifford No. 6-585-0-5

Cushion-Grip Screwdriver Set

7-Piece, heat-treated and tempered-steel blades with vinyl pouch, contains three cabinet-tip, two Phillips-tip and two keystone-tip screwdrivers, 85076 Klein, Clifford No. 6-585-0-3

Torque-Screwdriver: \$125.00 ea.

Adjustable torque-limiting screwdriver, provides torque accuracy over a range of 2-36 in.-lbs., torques either clockwise or counter-clockwise, 1/4" hex female drive, 57035 Klein, Clifford No. 6-585-0-6

Super Set - 21 Piece: \$108.50 ea.

3 screwdrivers, 9 regular nut drivers, 3 stubby nut driver blades, extension blade, full-size and stubby handles. diagonal cutters, long-nose cutting pliers, adjustable wrench, heavy-vinyl roll-up pouch with grommets, 90500-R Klein, Clifford No. 6-597-21-0

#### Wire Finder———

\$224.00 ea.

Locates wire and cable underground, in walls and ceilings, inside and outside. Provides reliable results on buried cables to depths of 3 feet and lengths up to 1000 feet. Can be used to determine the approximate depth of a wire or cable before a dig. Fully adjustable transmitter-output and receiver-gain help to improve system performance and locating accuracy. Durable, molded carrying case with a quick reference operation guide on the inside of the lid. 508S Greenlee/Progressive, Clifford No. 6-509-0-6





#### Pliers

8" Diagonal-Cutting Pliers with Angled Head: Cuts ACSR, screws, nails, and most hardened wire, high-leverage, plastic-dipped handles, D2000-48 Klein, Clifford No. 6-577-3-10

8" Diagonal-Cutting Pliers with Angled Head: High-leverage, standard-bevel cutting knives, plastic-dipped handles, D248-8 Klein, Clifford No. 6-577-3-6

9-1/4" Side-Cutting Pliers with Crimping Die: High-leverage, crimps sleeve connectors, plastic-dipped handles, D213-9NE-CR Klein, Clifford No. 6-577-914-1

FREE shipping on all the products in this flyer. \$100 minimum order. You can combine a tool order with any other Clifford products to meet the minimum. FREE shipping only applies to tool portion of the order. Prices not available to resellers. —



#### Hammers

Electrician's Straight-Claw Hammer:

\$21.50 ea.

Extra-long neck, narrow striking face, polished drop-forged, tempered steel head, shock-absorbent fiberglass shaft, 18 oz., 807-18 Klein, Clifford No. 6-587-0-5

Hammer Leather Holder - Tunnel Loop:

Heavy-metal hammer loop, hold-down strap riveted to hammer loop unsnaps with downward pressure, 2 snap-on positions to hold large and small hammers, tunnel loop fits belts up to 4" wide, 5456TS Klein, Clifford No. 6-587-0-4



## Cable & Wire Strippers, Cutters & Slitters



Cable Cutter -High Leverage Clifford No. 6-575-0-1 Cable Cutter - High Leverage: \$17.00 ea.

9.5", high-leverage, cable gripping, shear-type jaws, plastic-dipped handles, 63050 Klein, Clifford No. 6-575-0-1

\$22.00 ea. Cable Cutter - Compact:

8", cuts copper and aluminum multi-stranded cable and wire, shear-type cutting blades, one-hand shearing action, drop-forged body with 3/8" case-hardened rivet, not designed for cutting steel or ACSR, 63055 Klein, Clifford No. 6-575-0-3

Cable Cutter - Standard:

25.5", cuts soft copper cable up to 500 MCM and aluminum cable up to 750 MCM, sheartype cutting blades, drop-forged steel jaws with black oxide finish are replaceable if damaged or worn out, strong fiberglass handles with heavy vinyl grips for comfort and slip resistance, not designed for cutting steel or ACSR, 63041 Klein, Clifford No. 6-575-0-0



Standard Cable Cutter Clifford No. 6-575-0-0

Ratcheting Cable Cutter: \$143.50 ea.

Cleanly cuts copper up to 400 MCM, aluminum and multi-conductor cables up to 600 MCM, hold-open spring speeds cutting action, 63060 Klein, Clifford No. 6-575-0-2



Ratcheting Cable Cutter Clifford No. 6-575-0-2

Communications Cable Cutter: \$134.00 ea

37", cuts 900 pr. soft copper and aluminum up to 2-1/4" dia., shear-type cutting blades, hook jaw shape forces cable into jaws, strong fiberglass handles with heavy vinyl grips for comfort/ slip resistance, not designed for cutting steel/ACSR, 63047 Klein, Clifford No. 6-575-0-5



Strips 10 to 18 AWG solid wire, easy-to-read wire gauge markings, comfortable handles with cushion ridges, 11045 Klein, Clifford No. 6-563-0-4

C Wire Slitter/Stripper:

For 12 AWG C Wire, 205-12 Ripley, Clifford No. 6-560-12-0:

For 14 AWG C Wire, 205-14 Ripley, Clifford No. 6-560-14-1:

Slitter for Figure 8 Cable w/1/4" \$42.50 ea Messenger: 305-AN Ripley, Clifford No. 6-559-0-1

Slitter for Figure 8 Cable w/3/8" Messenger: \$42.50 ea 305-10MW Ripley, Clifford No. 6-559-0-3



Clifford No. 6-560-12-0

Wire Stripper/Cutter Clifford No. 6-563-0-4

> Fiber Optic Stripper: For stripping 250 micron buffer, FO-103S Ripley, Clifford No. 6-670-0-7



#### Wrenches



Lineman's Wrench - Bell System: \$28.50 ea.

13", end openings sized to NEMA hardware specification, large end openings 1-1/16" and 1-3/16", small end openings 11/16" and 7/8", special bar steel, heat treated, white finish, 3146B Klein, Clifford No. 6-572-0-1

Lineman's Wrench - Standard:

\$31.15 ea

13", for 5/8" hardware, large end openings 1-3/32" and 29/32", small end openings 13/16" and 5/8", special bar steel, heat treated, dark blue finish, 3146 Klein, Clifford No. 6-572-0-5

Adjustable Wrench:

\$14.50 ea

6", drop-forged alloy steel, chrome-plated, plastic-dipped handle, D506-6 Klein, Clifford No. 6-572-0-40

Adjustable Wrench:

\$13.50 ea

8", black finish and plastic-dipped handle, drop-forged alloy steel, industrial black finish, plastic-dipped handle, D508-8 Klein, Clifford No. 6-572-0-42

Can Wrench for 3/8" and 7/16" Hex Nuts:



Sockets are heat-treated alloy-steel, handle is high-impact, break-resistant material, 7" long, 1" diameter handle, 68005 Klein, Clifford No. 6-572-7-0 \$10.50 ea

Ratchet Wrench: 1/2", 10-1/2" length, 65820 Klein, Clifford No. 6-572-0-0

#### Miscellaneous Tools—

"Pal" Thin-Wall Conduit Reamer:



Locks onto screwdriver, reams and smoothes 1/2", 3/4" and 1" thin-wall conduit-ends, reams inside/outside at the same time, fits most Klein screwdrivers, 19352 Klein, Clifford No. 6-585-0-13

Long-Nose All-Purpose Tool: \$12.50 ea.

Strips and cuts wire, crimps insulated and non-insulated connectors from 10 to 22 AWG, crimps 7 to 8 mm ignition terminals, cuts bolts, pulls, loops, bends wire - 1010 Klein, Clifford No. 6-563-0-21

F-Connector Tool:

7/16" Hex Socket & 3/8-32 Threaded End, 35-046 Ideal, Clifford No. 6-585-0-14

Electrician's Scissors w/Stripping Notches: \$9.00 ea.



Strips 19- and 23- AWG wire, nickel-plated, adjustable screw-hinge, serrated lower blade, 2100-7 Klein, Clifford No. 6-576-0-7

Electrician's D-Snip Scissors:



Strips 19- and 23-gauge wire, ergonomically designed handle leverages the user's power, providing 1.5 times the cutting force with half the effort. 44300 Dracon, Clifford No. 6-576-0-19

Fish Tape Leader: \$9.50 ea.



Flexible 13-1/2" leader makes pushing and pulling flat-steel tapes easier, heavy-duty 3/16" dia. wound-steel spring with rustproof inner steel cable, can withstand 500-lb. pull, eye-loop accepts up to five unstripped No. 12 wires, 50350 Klein, Clifford No. 6-550-0-5

Canvas Tool Bag:

18", made of one-piece No. 8 white canvas, steel frame mouth, harness leather handles, 5102-18 Klein, Clifford No. 6-579-0-18



#### Knives-

Heavy-Duty Cable-Sheath Splitting Knife - Bell System Type: \$13.25 ea. Heavy-duty 8-3/4" knife for splitting cable sheaths, cutlery steel blade, chisel-shaped edge, plastic-dipped handle, 1515-1 Klein, Clifford No. 6-576-0-2

Slitting Carbon Steel Pocket Knife: extra-large 2-5/8" curved sheepfoot slitting blade, blade locks open, 1550-4 Klein, Clifford No. 6-576-0-12

Slitting 2-Blade Pocket Knife: \$15.50 ea.

2-3/8" curved-sheepfoot slitting blade and 2-1/2" screwdriver-tip, 1550-7 Klein, Clifford No. 6-576-0-15

\$6.00 ea. Cable-Splicer Knife: Tough, coping-type blade made of forged steel, full size, high-dielectric, red cushioned handle, 6-1/4" full length, CK6 Clauss, Clifford No. 6-576-0-3

Electrician's Pocket Knife: 2 1/4" coping-type stainless steel blade, compact, lightweight, ideal for skinning small wire & cable, 1550-45 Klein, Clifford No. 6-576-0-0

## Test Equipment

Craft TestSet - Model 4 (62-400): Clifford No. 6-504-0-14

- **UL Listed**
- Provides DTMF (tone) and rotary (pulse) dialing
- Electronic ringer indicates incoming calls
- Line polarity indication
- Line monitor feature
- Monitor Impedance >120K Ohms
- "Safe for Data" in Monitor Mode
- Register recall/hook flash
- Mute feature for noisy locations
- Last number redial 23 digits
- Field changeable cord set
- Impact-resistant enclosures designed to withstand rough field conditions and use






PathFinder™ Tester Kit with Four Remotes in Hard Case (33-812):

Designed for professional installers and maintenance technicians for mapping, testing and troubleshooting. Clifford No. 6-511-0-1

Kit includes: PathFinder™ Tester (Main Test Unit) and Remotes A, B, C, D; Four 8P8C 5" Cable Assemblies; BNC Terminator (500 ohm)

ABS™ Tester & Signal Thrower (62-188):

- Identifies unlabeled or mislabeled wire in new
- Identifies existing network wires to determine the location of workstations and phone lines on a patch panel
- Includes ABS™ Tester, ABS™ Signal Thrower, lead set and cable assembly
- Clifford No. 6-504-0-20



Having reliable testing tools for "trouble shooting" either voice or data lines is critical for any contractor or maintenance technician. These products from Ideal® Industries reduce the occurrence of common wire errors and allow the installer to focus on issues of code and standard compliance.

#### **Test Sets Designed to Meet Craft Standards**

All IDEAL test sets are made from fiberglassreinforced ABS to withstand rugged use. The moisture resistant case ensures reliable performance under the most demanding weather conditions. A high impedance monitor feature (above 120KOhms) helps prevent accidental interruption of data flow if accidentally connected to a digital/data circuit.





# TOOLS

Absolutely the LOWEST PRICES on these items, ANYWHERE!

You won't find lower prices on these items anywhere! If you do, we'll match the price!

Mention Promotion Code "GET A GRIP"

to get these Great prices!

Contact Information:

Woody Kaplan
Sales Representative
Clifford of Vermont

1-800-873-2552 x125

1-631-331-2552 x125

Fax: 1-631-331-1895

Mobile: 1-631-835-2839

Email: gkaplan@tvcinc.com

www.cliffordvt.com

### Get a Grip with Clifford's Tools and Test Equipment!

We carry a wide selection of ALL THE TOOLS YOU NEED TO GET THE JOB DONE.



#### Nutdrivers & Sets



Drive-A-Matic Nut Driver: \$19.50 ea.
Automatically fits 15 different nut
and screw sizes, overall length 7", 632 Klein,
Clifford No. 6-585-7-1

Cushion-Grip Nut Driver Set: \$28.00 ea. 7-piece, contains 3/16",1/4", 5/16", 11/32", 3/8", 7/16", and 1/2" hollow-shaft nut drivers, roll-up plastic storage pouch, 631 Klein, Clifford No. 6-585-0-0

Electrician's Straight-Claw Hammer (see page 2) \$21.50 ea Aluminum Torpedo Level \$10.50 ea. 9" length, magnetized strip along the bottom, 930-9 Klein, Clifford No. 6-596-9-0



