




Star-SU Gear Cutting Tools



Gear cutting tools





Hobs

Mod. (D.P). range 0.5 - 17 mm (50 - 1.5) Diameter range 20 - 200 mm (0.75 - 8")

We manufacture the most comprehensive range of hobs in North America. When a hybrid hob or a completely new design is needed, Star-SU will supply the solution.

Shaper cutters

Mod. (D.P.) range 0.5 - 8 mm (50 - 3.175) Min. pitch diameter 20 mm (0.787) Max. whole depth 19 mm (0.75") Max. diameter 250 mm (9.84")

Grinding wheels and grinding worms

Wheel diameter 50 - 180 mm (1.96 - 7") Wheel thickness 14 - 30 mm (0.55 - 1.18") Wheel bore size 18 - 80 mm (1.41 - 3.14") Loc. face dia. 23,5 - 110 mm (1.08 - 4.33")

Milling cutters

Latest technology gives us the ability to produce accurate form relief cutters in various designs.

Rack cutters

Length flat cutters 292 mm (11.5") 277 mm (10.9") Length raised teeth c.

HSS or carbide

- Bridge Hobs[™] HSS hobs for dry cutting
- bore- and shank-type
- single-/multi-thread
- involute spline
- worm gear and camshaft
- chamfering
- parallel or tapered key
- sprocket
- special forms and special drives
- Express Hobs[™] for 3-weeks delivery



- HSS
- spur and helical
- hub- and deep counterbore-type

■ special cutters for chain sprockets, splines, timing gears and large module cutters.

electroplated CBN grinding wheels and worms

diamond-plated profile grinding wheels and worms for various applications including special wheels for rotor grinding shave grinding (external honing)

wheels

- saw blade cutters
- rack cutters and blades
- Star sticks
- straight and spiral gash
- shank drive
- interlocking
- intermittent cutting

standard and helical


- HKR
- sprocket
- christmas tree for roughing
- one tooth cutter



Saw cutters

We are the number one for precision in pitch accuracy and tooth height. Cutters for hack, band and circular saw blades come in variable pitch.

- straight and interlocked sets
- standard and precision quality single piece circular
- intermittent continuous feed
- special tooth forms incl. chip breakers



Gear cutting tools













Bevel gear cutting tool systems

Star-SU provides you with sticks, cutter heads and cutter head repair services for face hobbing and face milling applications.

Shaving cutters

Mod. (D.P.) range
1 - 15 mm (25 - 1.6)

Diameter range
 $70 - 400 \text{ mm} (2 \sqrt[4]{4} - 15 \sqrt[4]{4})$

Face width
 $70 \text{ mm} (2 \sqrt[4]{4})$

No. of teeth
13 - 240 teeth

Chamfer-roller tools

Patented, highly economical solution combining chamfering and rolling in one tool.

Chamfering tools

To chamfer the flank edges of spur and helical cylindrical gears. The chamfering operation prevents edge distortion during heat treatment and protects the tooth profile against any nicks that may occur during handling.

Deburring tools

■ standard tools for gears with parallel faces.

■ serrated tools for gears with inclined faces.

■ R-type tools for gears with root diameter close to test flange.

NEW - Deburring tools for sprocket wheels.

Master gears

Star-SU master gears come in DIN 3962 class 3 to check standards and calibrate checking equipment. Our masters are supplied with a regrind diagram on request. Star-SU master gears are produced on the latest Samputensili machine tools. Depending on material and design master gears can be reground - ask us for regrinds of your master gears.

- roughing cutters
- finishing cutters
- HSS and carbide blades
- plunge
- underpass
- diagonal
- conventional

Gear cutting tools - related services













From the idea to the tool

Our customers do not have to worry about the complexity of certain tool types. Specify what you need in a particular gear, spline or tooth form and our team of application and design engineers will do the rest: from quoting the product, designing the tool drawing, creating the rollout to the final manufacturing of the tool. Our expert staff will work closely with you to make sure you are able to meet your requirements.

Resharpening services

Our service centers in Michigan, Indiana and Illinois provide you with what you really need: fast turnaround of highprecision sharpenings. In some areas pickup and delivery services are available.

Coating/stripping/ recoating services

Our Gold-Star coatings will improve abrasion, corrosion resistance and can increase life up to 5-10 times in certain applications.

- HSS and carbide tools
- molds and dies
- special tools
- machined parts and other applications

Stripping and replating services

- electroplated CBN grinding wheels
- worm-type CBN grinding tools



(Commodity Management Supplier)

Star-SU is an experienced partner of medium and large companies and supplies a complete product cycle management service for gear cutting tools and other gear-related services.

- hobsshaper cutters
- shaving cutters

- hobs
- milling cutters
- shaper cutters
- shaving cutters



- TiN
- StarForce TiN/Ti(C,N)
- AdvantaStar (Ti/Al)N
- AdvantaStar 'Plus' (Ti/Al)N
- NEW PerformaStarNEW AlumaStar

The complete source for gear cutting tools



System technology from one source



Cylindrical gear hobbing Bevel gear cutting Profile grinding Continuous generating grinding Shave grinding Shaving cutter grinding Hob and milling cutter sharpening Hypoid cutter sharpening Chamfering and deburring

Your source for gear cutting tools and machine technology in North America



HSS and carbide hobs HSS and carbide shaper cutters Milling cutters Rack cutters Saw blade cutters Shaving cutters Grinding wheels and grinding worms Master gears Chamfering and deburring tools Bevel gear cutting tools



Regrinding of hobs, shaper cutters, milling cutters and shaving cutters

Coating of cutting tools, dies, stamps, mechanical parts, punching dies/tools

Replating of grinding wheels and grinding worms

Grinding of compressor rotors, rotors for hydraulic pumps, gears of special design, worms and cams



Star-SU Inc. 5200 Prairie Stone Parkway, Suite 100 Hoffman Estates, IL 60192 USA Tel.: (847) 649 1450 Fax: (847) 649 0112 sales@star-su.com

Star-SU Inc. 23461 Industrial Park Drive Farmington Hills, MI 48335-2855 USA Tel.: (847) 649 1450 Fax: (847) 649 0112 sales@star-su.com



Elk Rapids Engineering 210 Industrial Park Drive P.O. Box 728 Elk Rapids, MI 49629-0728, USA Tel.: (231) 264 5661 Fax::(231) 264 5663 salesere@starcutter.com



SU America Inc. 5200 Prairie Stone Parkway, Suite 100 Hoffman Estates, IL 60192 USA Tel.: (847) 649 1450 Fax: (847) 649 0112 sales@suamerica.com



The new Star-SU main office in Hoffman Estates/Illinois, 30 minutes from Chicago O'Hare.



The Star-SU Service Center in Farmington Hills, MI.

