Your Guide to Security

2003-2004 Pricing Catalog



BRYCE FASTER

Tamper-resistant VS Tamperproof

Be aware that security screws fall into two categories: tamper-resistant screws and tamperproof screws. The distinction is based on the accessibility of the security bits. Torx-pin, hex-pin, socket-pin, drilled-spanners, snake eyes[®], Phillips-pin, and Tri-wing have thousands of security bits in circulation that are easily obtainable. This makes these screws tamper-resistant only. Uniqz[®] Keyed-Lok[®] and Penta-Plus[™] screws do not have security keys in public circulation and are therefore considered tamperproof screws. With Uniqz[®] Keyed-Lok[®] each customer has their own one-of-a-kind socket licensed exclusively to them, making this is a lock-n-key screw[™].

Penta-Plus[™] is a proprietary drive in which Bryce Fastener controls access to the security keys. The restricted access to the security keys makes these screws theft proof, not just theft-resistant. Consider the security risks associated with your product before you buy!

The Hidden Costs

Consider the cost of the "loss of the valuable product or the cost of a lawsuit" when picking your fastener. Some real life examples:

- A school of higher learning had some students remove the tamperresistant security screws and drop a 40 lb rock 10 floors onto a new Mercedes, demolishing the automobile. The cost was \$50,000.
- A major university had expensive electronics (secured with Torx-pin tamper-resistant screws) stolen from a classroom. The cost was \$30,000.
- An art museum is sending its Picasso paintings on tour, partially secured with hex-pin security screws. This bit can be purchased at any True Value hardware store. Do you think it is a good idea?
- A major electronics company does not want anyone adjusting a control mechanism for a motor (there are large liabilities if it does not perform). They chose Keyed-Lok[®] to avoid tampering. To date, no tampering has occurred.
- Projection equipment costs \$7,000.00, but is stolen when it is secured with "tamper-resistant screws."
- Criminals have security bits smuggled into jails allowing them to hide drugs behind wall plates and even escape.

All of these examples have "hidden costs" that far exceed the price of tamperproof screws like Keyed-Lok[®] and Penta-Plus[™] When choosing your security screw, it is important to realize that the security bits are being imported and sold at an alarming rate. Theft-resistant and tamper-resistant screws will only stop the naive.

Can you afford the cost? Choosing a tamperproof product such as Keyed-Lok[®] or Penta-Plus[™], will protect your property — and your investment.




"Hidden Cost" Perspectives on Fasteners

- 1. Fastener stock maintenance costs are more than the fastener itself. Organizing, monitoring and restocking occupies valuable labor time.
- 2. The "cost of the twist" to put a screw in is more than the price of the screw. Labor costs to fasten screws far outweigh the screw itself.
- 3. The "cost of the walk" to get the screw is more than the price of the screw.
- 4. The "cost of an urgent out" is greater than the price of the fastener. You are always informed of when you are OUT, never when you are LOW. Urgent outs cost extra labor time to replenish, not to mention put a stop to production.
- 5. The "cost of writing the purchase order" is often higher than the price of the screw. Labor costs in ordering, documenting and follow-up are more than the cost of the fastener.
- 6. 25 percent of all fasteners are ordered wrong, which causes overstock. Overstock ties up cash and takes up valuable inventory space.
- 7. A fastener failure can cost your company its existence. Outdated or poor quality fasteners can be devasting if the part fails to perform (see examples on previous page).
- 8. The cost of a broken fastener in assembly can equal 1000 times the cost of the screw.
- 9. The time involved in dealing with the nuisance of fasteners could be the most costly of all in that your time could be spent on more important things.









The Key to Security


KEYED-LOK[®] is a "Lock-n-Key Screw[™]" that offers a drive key licensed specifically for your application. You own the unique socket/key configuration, insuring controlled key access the key to tamper-proof screws — and the key to security.

Specifications — Flat HD SMS, M/S™

Size	T (SMS)	T (SMS)	T (M/S)	T (M/S)	D	D	н	U Keyed-Lok®
	Diameter	Thrds/In	Diameter	Thrds/In	Max	Min	HD Height	
#2	.086	32	.086	56	.200	.190	.064	U02
#4	0.112	24	0.112	40	0.255	0.218	0.083	U04
#5	0.125	20	0.125	40	0.281	0.240	0.090	U04
#6	0.138	20	0.138	32	0.307	0.263	0.097	U06
#7	0.151	19	_	_	_	_	_	U06
#8	0.164	18	0.164	32	0.359	0.311	0.112	UIO
#10	0.190	16	0.190	24, 32	0.411	0.359	0.127	UIO
#12	0.216	14	0.216	24, 38	_	_	_	U25
#14	0.250	14	_		0.531	0.480	0.161	U25
1/4"	_	_	0.250	20, 28	0.531	0.480	0.161	U25
5/16"	_	_	0.3125	18	0.656	0.600	0.198	U31
3/8''	-	—	0.375	16	0.781	0.720	0.234	U31
1/2''	_	_	0.5	13	0.938	0.872	0.251	U50
5/8''	_	_	0.625		1.19	1.11	0.396	U50

Specifications — Button HD SMS, M/S[™]

Size	T (SMS)	T (SMS)	T (M/S)	T (M/S)	D	D	н	U Keyed-Lok®
	Diameter	Thrds/In	Diameter	Thrds/In	Max	Min	HD Height	
#2	.086	32	.086	56	.200	.190	.064	U02
#4	0.112	24	0.112	40	0.255	0.240	0.065	U04
#5	0.125	20	0.125	40	0.255	0.240	0.065	U04
#6	0.138	20	0.138	32	0.312	0.300	0.090	U06
#7	0.151	19	_	_	_	_	_	U06
#8	0.164	18	0.164	32	0.375	0.360	0.105	UIO
#10	0.190	16	0.190	24, 32	0.440	0.420	0.115	UIO
#12	0.216	14	0.216	24, 38	0.440	0.420	0.125	U25
#14	0.250	14		_	0.480	0.455	0.150	U25
1/4''	_	_	0.250	20, 28	0.480	0.455	0.150	U25
5/16''	_	_	0.3125	18	0.655	0.635	0.190	U31
3/8''	_		0.375	16	0.782	0.762	0.225	U31
1/2"	_		0.5	13	1.00	0.965	0.280	U50
5/8''	_		0.625	11	1.12	0.965	0.280	U50





How it Works



Tw ar

Twist key until sides align and Keyed-Lok® engages.





R

Sheet Metal Screw Bulk Only Button Head, Flat Head,

18-8 Stainless Steel

Driver Size	UIO	UIO	UI0	U-25
	No. 6	No. 8	No. 10	No. 14
3/8''	\$0.38	\$0.38	_	_
1/2"	\$0.39	\$0.39	\$0.40	\$1.05
5/8''	\$0.40	\$0.40	\$0.41	\$1.05
3/4''	\$0.40	\$0.40	\$0.42	\$1.07
["	\$0.43	\$0.43	\$0.44	\$1.09
/4''	\$0.45	\$0.45	\$0.47	\$1.11
/2''	\$0.47	\$0.47	\$0.48	\$1.14
2''	\$0.49	\$0.49	\$0.51	\$1.26
	2500 Pc	2,000 Min		

CALL FOR QUANTITY DISCOUNTS

Keys: Price Per Each

I GBU 04	\$20.00
I GBU 06	\$12.00
IGBU 10	\$12.00
I GBU 25	\$12.00
IGBU 31	\$20.00
IGBU 50	\$30.00

Machine Screw

Bulk Only Button Hoad Elat Hoad

Button Head, Flat Head, 18-8 Stainless Steel

Driver Size	UI0	UIO	UIO	U25	U31	U31	Driver Size	U50	U50
	6/32	8/32	10/24, 32	1/4-20	5/16-18	3/8-16		1/2-13	5/8-11
3/8''	\$0.38	\$0.38	\$0.40	\$0.50	_	_	/2"	\$8.00	\$11.50
1/2''	\$0.39	\$0.39	\$0.40	\$0.50	\$1.05	\$1.47	2''	\$8.50	\$12.00
5/8''	\$0.40	\$0.40	\$0.41	\$0.52	\$1.05	\$1.47	2 1/2"	\$9.00	\$12.50
3/4''	\$0.40	\$0.40	\$0.42	\$0.54	\$1.07	\$1.52	3''	\$9.50	\$13.00
''	\$0.43	\$0.43	\$0.44	\$0.56	\$1.09	\$1.55	3 1/2"	\$10.00	\$14.00
/4''	\$0.45	\$0.45	\$0.47	\$0.59	\$1.11	\$1.62	4"	\$11.00	\$15.00
/2''	\$0.47	\$0.47	\$0.49	\$0.62	\$1.14	\$1.73	5"	\$12.00	\$16.00
2''	\$0.49	\$0.49	\$0.51	\$0.70	\$1.26	\$1.90	6''	\$13.00	\$17.00
	2500 Pc	. Min		2,000 Min	1,000 Min	750 Min.		250 Min.	250 Min.





Keyed-Lok[®]- Micro Selftapping Screws Bulk Only — Button Head, Flat Head, Alloy, Stainless Steel



Driver Size	P02	P02	P04				
	#2-32	#3-32	#4-24				
1/4"	\$0.40	\$0.40	\$0.40				
3/8"	\$0.40	\$0.40	\$0.40				
7/16"	\$0.40	\$0.40	\$0.40				
1/2"	\$0.40	\$0.40	\$0.40				
5/8"	\$0.40	\$0.40	\$0.40				
3/4"	\$0.40	\$0.40	\$0.40				
7/8"	\$0.40	\$0.40	\$0.40				
"	\$0.40	\$0.40	\$0.40				
	2500 Pc. Min						

CALL FOR QUANTITY DISCOUNTS

Keys:

Price Per Each

IGBU 02	\$20.00
IGBU 04	\$20.00

Blunt Point Also Available

Keyed-Lok[®]- Micro Machine Screws Bulk Only — Button Head, Flat Head, Alloy, Stainless Steel

Driver Size	U02	U02	U04	U04
	2/56	3/48	4/40	5/40
3/16"	\$0.40	\$0.40	\$0.40	\$0.40
1/4"	\$0.40	\$0.40	\$0.40	\$0.40
5/16"	\$0.40	\$0.40	\$0.40	\$0.40
3/8"	\$0.40	\$0.40	\$0.40	\$0.40
7/16"	\$0.40	\$0.40	\$0.40	\$0.40
1/2"	\$0.40	\$0.40	\$0.40	\$0.40
5/8"	\$0.40	\$0.40	\$0.40	\$0.40
3/4"	\$0.40	\$0.40	\$0.40	\$0.40
"	\$0.40	\$0.40	\$0.40	\$0.40
	2500 Pc	. Min		

Parts are manufactured to order. Delivery 4-6 weeks

Customer Quotes

"When one of my vendors consistently distinguishes themselves over a period of years with superior service, I feel obligated to let everyone know what it is that makes this company and their employees so extraordinary. That company is Bryce Fastener..."

Ken R. Kinsey Vice President, SlideRight

"In May 2003, an attempt was made to steal a ceiling mounted projector from one of our classrooms. Cables had been disconnected and a chair was left under the projector. The mount was installed with Bryce security system screws. The assumption is that the thief was foiled in their attempt to remove the projector due to the tamperproof KEYED-LOK[®] security screws from Bryce Fastener."

Robert Bancroft Sr. Engineer, Display Systems Technology Rochester Institute of Technology









The geometry of Penta-Plus[™] makes this an extremely secure screw/bit combination. The bit tips are sold only to the users and are configured to keep Torx and Hex-pins out.






Specifications — Bulk Only, Flat Head, 18-8 Stainless Steel

				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,					
Size	T (SMS)	T (SMS)	T (M/S)	T (M/S)	D	D	н	P (Penta)	P (NOM)
	Diameter	Thrds/In	Diameter	Thrds/In	Max	Min	Min		
#2	0.086	32	0.086	56	0.200	0.190	.064	P02	0.065
#4	0.112	24	0.112	40	0.255	0.218	0.083	P04	0.070
#5	0.125	20	0.125	40	0.281	0.240	0.090	P04	0.070
#6	0.138	20	0.138	32	0.307	0.263	0.097	P01	0.118
#7	0.151	19	—	—	—	—	—	P01	0.118
#8	0.164	18	0.164	32	0.359	0.311	0.112	P02	0.160
#10	0.190	16	0.190	24, 32	0.411	0.359	0.127	P02	0.160
#12	0.216	14	0.216	24, 38	_	_	—	P02	0.160
#14	0.250	14	—	—	0.531	0.480	0.161	P02	0.160
1/4"	_	_	0.250	20, 28	0.531	0.480	0.161	P02	0.160
5/16"	_	-	0.3125	18	0.656	0.600	0.198	P03	0.240
3/8''	_	_	0.375	16	0.781	0.720	0.234	P03	0.240
1/2"	_	_	0.5	13	0.938	0.872	0.251	P04	0.3125

Specifications — Bulk Only, Button Head, 18-8 Stainless Steel

Size	T (SMS)	T (SMS)	T (M/S)	T (M/S)	D	D	н	н	P (Penta)	P (NOM)
	Diameter	Thrds/In	Diameter	Thrds/In	Max	Min	Max	Min		
#2	0.086	32	0.086	56	0.164	0.154	0.046	0.038	P02	0.065
#4	0.112	24	0.112	40	0.213	0.201	0.059	0.051	P04	0.072
#5	0.125	20	0.125	40	0.238	0.226	0.066	0.058	P04	0.072
#6	0.138	20	0.138	32	0.262	0.250	0.073	0.063	POI	0.118
#7	0.151	19	_	_	_	_	_	_	POI	0.118
#8	0.164	18	0.164	32	0.321	0.298	1.087	0.077	P02	0.160
#10	0.190	16	0.190	24, 32	0.361	0.347	0.101	0.091	P02	0.160
#12	0.216	14	0.216	24, 38	_	_	_	_	P02	0.160
# 4	0.250	14	_	_	0.437	0.419	0.132	0.122	P02	0.160
1/4''	_	_	0.250	20, 28	0.437	0.419	0.132	0.122	P02	0.160
5/16"	_	_	0.3125	18	0.547	0.527	0.166	0.152	P03	0.240
3/8''	_	_	0.375	16	0.656	0.636	0.199	0.185	P03	0.240
1/2"	_	_	0.5	13	0.875	0.851	0.265	0.245	P04	0.3125
5/8''	_	_	.625		1.00	.965	.280	_	P04	0.3125









Penta-Plus[™] Sheet Metal Screw

Bulk Only Button Head, Flat Head, 18-8 Stainless Steel

Driver Size	PI	P2	P2	P2	P2		
-	No. 6	No. 8	No. 10	No. 12	No. 14		
3/8"	\$0.36	\$0.36	_	_	_		
1/2"	\$0.37	\$0.37	\$0.38	\$0.42	_		
5/8''	\$0.38	\$0.38	\$0.39	\$0.42	—		
3/4''	\$0.38	\$0.38	\$0.39	\$0.44	\$0.52		
"	\$0.41	\$0.41	\$0.42	\$0.46	\$0.54		
/4''	\$0.43	\$0.43	\$0.45	\$0.52	\$0.56		
/2''	\$0.45	\$0.45	\$0.47	\$0.56	\$0.59		
2''	\$0.49	\$0.47	\$0.49	\$0.60	\$0.67		
	2000 Pc. Min						

CALL FOR QUANTITY DISCOUNTS

Key	's:	
Price	Per	Each

IGB P1	\$9.00
IGB P2	\$9.00
IGB P3	\$20.00
IGB P4	\$30.00

Penta-Plus[™] Machine Screw

Bulk Only Button Head, Flat Head, 18-8 Stainless Steel

Driver Size	PI	P2	P2	P2	P2	P2	P 3	P3	P4
	6/32	8/32	10/24	10/32	12/24	1/4-20	5/16-18	3/8-16	1/2-13 &
1/4"	\$0.36	\$0.36	—	_	—	_	_	_	5/8-11
3/8''	\$0.36	\$0.36	\$0.38	\$0.38	_	\$0.47	_	_	
1/2"	\$0.37	\$0.37	\$0.38	\$0.38	\$0.42	\$0.47	\$1.00	\$1.40	
5/8''	\$0.38	\$0.38	\$0.39	\$0.39	\$0.42	\$0.49	\$1.00	\$1.40	Call
3/4''	\$0.38	\$0.38	\$0.39	\$0.39	\$0.44	\$0.52	\$1.02	\$1.45	
["	\$0.41	\$0.41	\$0.42	\$0.42	\$0.46	\$.053	\$1.04	\$1.48	
/4''	\$0.43	\$0.43	\$0.45	\$0.45	\$0.52	\$0.56	\$1.06	\$1.54	
/2"	\$0.45	\$0.45	\$0.47	\$0.47	\$0.56	\$0.59	\$1.09	\$1.66	
2"	\$0.47	\$0.49	\$0.49	\$0.49	\$0.60	\$0.67	\$1.20	\$1.83	
	2000 Min.					1500 Min.	750 Min.	500 Min.	250 Min.

Ordering from Bryce Fastener is fast and easy! Call us toll-free at 1-800-558-1082, fax your RFQ to (480) 503-3834 or visit our our convenient, 24-hour online ordering system at www.brycefastener.com





Penta-Plus[™] - Micro Selftapping Screws Bulk Only — Button Head, Flat Head, Alloy, Stainless Steel

Driver Size	P02	P02	P04
	#2-32	#3-32	#4-24
1/4"	\$0.40	\$0.40	\$0.40
3/8"	\$0.40	\$0.40	\$0.40
7/16"	\$0.40	\$0.40	\$0.40
1/2"	\$0.40	\$0.40	\$0.40
5/8"	\$0.40	\$0.40	\$0.40
3/4"	\$0.40	\$0.40	\$0.40
7/8"	\$0.40	\$0.40	\$0.40
"	\$0.40	\$0.40	\$0.40
	2500 Pc	. Min	

CALL FOR QUANTITY DISCOUNTS

IGBU 02	\$20.00
IGBU 04	\$20.00

Blunt Point Also Available

Price Per Each

Keys:

Parts are manufactured to order. Delivery 4-6 weeks

Penta-Plus[™]- Micro Machine Screws Bulk Only — Button Head, Flat Head, Alloy, Stainless Steel

Driver Size	P02	P02	P04	P04	
	2/56	3/48	4/40	5/40	
3/16"	\$0.40	\$0.40	\$0.40	\$0.40	
/4"	\$0.40	\$0.40	\$0.40	\$0.40	
5/16"	\$0.40	\$0.40	\$0.40	\$0.40	
3/8"	\$0.40	\$0.40	\$0.40	\$0.40	
7/16"	\$0.40	\$0.40	\$0.40	\$0.40	
1/2"	\$0.40	\$0.40	\$0.40	\$0.40	
5/8"	\$0.40	\$0.40	\$0.40	\$0.40	
3/4"	\$0.40	\$0.40	\$0.40	\$0.40	
["	\$0.40	\$0.40	\$0.40	\$0.40	
	2500 Pc. Min				


Driver Size	P02	P02	P04
METRIC	M2	M2.5	M3
4MM	\$0.40	\$0.40	\$0.40
6MM	\$0.40	\$0.40	\$0.40
8MM	\$0.40	\$0.40	\$0.40
IOMM	\$0.40	\$0.40	\$0.40
I2MM	\$0.40	\$0.40	\$0.40
I4MM	\$0.40	\$0.40	\$0.40
I 6MM	\$0.40	\$0.40	\$0.40
20MM	\$0.40	\$0.40	\$0.40
24MM	\$0.40	\$0.40	\$0.40
2500 Pc.	Min		



Socket

ltem#	Item Name	Price
I GPS87	7/8 Penta Socket	\$32.00

Price Per Ea.	3/8-16	1/2-13
3/4"	\$4.15	—
l.''	\$4.25	_
/4"	\$4.35	\$4.62
/2"	\$4.95	\$4.78
3/4"	\$5.41	\$4.95
2''	\$5.41	\$5.71
2 1/4"	\$5.61	\$6.27
2 1/2"	\$5.91	\$6.60
3"	\$6.34	\$6.93
3 1/2"	\$6.54	\$8.50
	10 Pc. Min.	











* Varies with head style ** Available in flathead and flathead undercut only *** Also available in 1/8"

Sheet Metal Screw Bulk Only - Button Head, Flat Head 18-8 Stainless Steel

Driver Size	T-10, 15*	T-15, 20*	T-20, 25*	T-20, 25*	T-27, 30*	
_	No. 6	No. 8	No. 10	No. 12	No. 14	
3/8''	_	—	_	—	_	
1/2"	\$0.35	\$0.35	\$0.38	—	\$0.54	
5/8''	_	—	_	—	\$0.58	
3/4''	\$0.39	\$0.37	\$0.39	_	\$0.62	
''	\$0.44	\$0.39	\$0.42	_	\$0.70	
/4"	_	\$0.45	\$0.53	_	\$0.72	
/2''	\$0.45	\$0.48	\$0.59		\$0.78	
	100 Pc. Min.					

CALL FOR QUANTITY DISCOUNTS

Machine Screw Bulk Only - Button Head, Flat Head, 18-8 Stainless Steel

Driver Size	T-10, 15*	T-15, 20*	T-20, 25*	T-27, 30*
_	6/32	8/32	10/24, 10/32	1/4-20
3/8''	_	_	—	_
1/2"	\$0.35	\$0.35	\$0.38	\$0.54
5/8''	_	-	_	\$0.58
3/4''	\$0.39	\$0.37	\$0.39	\$0.62
''	\$0.44	\$0.39	\$0.42	\$0.70
/4"	_	\$0.45	\$0.53	\$0.72
/2''	\$0.45	\$0.48	\$0.59	\$0.78
	100 Pc. N	1in.		





* Varies with head style ** Available in flathead and flathead undercut only *** Also available in 1/8"

Sheet Metal Screw Bulk Only — Button Head, Flat Head Stainless Steel

Driver Size	I/8	5/32***	5/32	5/32	5/32	
_	No. 6	No. 8	No. 10	No. 12*	No. 14	
3/8''	\$0.34	\$0.35	_	_	_	
1/2''	\$0.35	\$0.35	\$0.36	_	\$0.43	
5/8''	\$0.35	\$0.36	\$0.36	—	\$0.48	
3/4''	\$0.36	\$0.37	\$0.37	_	\$0.49	
["	\$0.39	\$0.38	\$0.40	_	\$0.50	
/4"	_	\$0.41	\$0.42	—	\$0.53	
/2"	\$0.43	\$0.43	\$0.44	_	\$0.56	
	100 Pc. Min.					

Machine Screw Bulk Only — Button Head, Flat Head, 18-8 Stainless Steel

	/		•					
Driver Size	1/8	5/32***	5/32	5/32	5/32	5/32	3/16	7/32
	6/32	8/32	10/24	10/32	12/24**	1/4-20	5/16-18	3/8-16
1/4"	\$0.34	\$0.34	_	_	_	_	_	_
3/8''	\$0.34	\$0.34	\$0.36	\$0.36	_	\$0.44	_	_
1/2"	\$0.35	\$0.35	\$0.36	\$0.36	\$0.39	\$0.44	\$0.95	_
5/8''	\$0.36	\$0.35	\$0.37	\$0.37	_	\$0.48	\$0.95	\$1.32
3/4''	\$0.36	\$0.36	\$0.37	\$0.37	\$0.40	\$0.49	\$0.97	\$1.38
"	\$0.39	\$0.38	\$0.40	\$0.40	\$0.44	\$0.50	\$0.99	\$1.41
/4"	—	\$0.41	\$0.42	\$0.42	\$0.50	\$0.53	\$1.01	\$1.47
/2"	\$0.43	\$0.43	\$0.43	\$0.43	\$0.54	\$0.56	\$1.04	\$1.58
2"	\$0.44	\$0.45	\$0.45	\$0.45	_	\$0.64	\$1.14	\$1.74
	100 Pc. N	1in.					25 Pc. Min.	15 Pc. Min.





Driver Bits

Size	Diameter	Part No.	Price
Keyed-	Lok®		
U02	_	I GBU02	\$20.00
U04	1/4 Hex	I GBU04	\$20.00
U06	1/4 Hex	I GBU06	\$12.00
UIO	_	IGBUIO	\$12.00
U25	_	IGBU25	\$12.00
U31	5/16 Hex	IGBU31	\$20.00
U50	1/2 Hex	IGBU50	\$30.00
Penta-l	Plus™		
#4	1/4 Hex	I GBP0	\$9.00
#6	_	IGBPI	\$9.00
8-1/4		IGBP2	\$9.00
5/16-3/8	5/16 Hex	IGBP3	\$20.00
1/2-5/8	1/2 Hex	IGBP4	\$30.00
Tam-6L	obe™		
T-7	1/4 Hex	IGBT07	\$5.00
T-8	_	IGBT08	\$5.00
T-9	_	IGBT09	\$5.00
T-10	_	IGBTIO	\$5.00
T-15	_	IGBT15	\$5.00
T-20		IGBT20	\$5.00
T-25		IGBT25	\$5.00
T-27		IGBT27	\$5.00
T-30	_	IGBT30	\$5.00
T-40	_	IGBT40	\$5.00
T-45	_	IGBT45	\$7.00
T-50		IGBT50	\$8.00
ABOVE	L-KEYS	IGLT	\$8.50
Hex-Pi	n™		
1/8''	1/4 Hex	IGBA12	\$5.00
5/32''		IGBA15	\$5.00
3/16"		IGBA15	\$5.00
7/32''		IGBA21	\$5.00
1/8"	L-Key	IGKA12	\$5.00
5/32"		IGKA15	\$5.00
3/16"		IGKA18	\$5.00
7/32''		IGKA21	\$5.00

Product Index



Keyed-Lok[®] page 3



Penta-Plus[™] page 6



Penta Head Bolt page 8



Tam-6lobe[™] page 9



Hex-Pin[™] page 9

About Bryce

Founded in 1972, Bryce Fastener, Inc. specializes in helping customers in such industries as electronics, construction, corrections and telecommunications solve a wide range of unique and demanding fastener applications. The company's product line ranges from specialized security screws and bolts offering unsurpassed tamperresistance to fasteners in a wide range of metals.

Services

Bryce Fastener's pro-active approach to fasteners starts with evaluation and recommendation. After reviewing your product and assembly needs, Bryce will suggest a fastener that works the best for you. Our objective is to reduce hidden costs by selecting a fastener that can reduce labor costs in assembly and ordering while improving your product's performance.

Our competent service staff is there to provide support in ordering and follow-up. We make ordering easy and can hold excess custom parts in inventory to reduce lead times. In addition, we provide continual consulting on design changes and product development projects.



1440 W. Houston Avenue, #7 Gilbert, Arizona 85233 Tel: 1-800-558-1082 (U.S.) 480-503-3801 (International) Fax: 800.258.1082 • 480.503.3834 Email: info@brycefastener.com www.brycefastener.com